

General

Case Request

Case request operating room Scheduling/ADT, Scheduling/ADT

Pre Anesthesia Testing Orders

The ambulatory orders in this section are specifically for Pre Anesthesia Testing. For additional PAT orders, please use 'Future Status' and 'Pre-Admission Testing Phase of Care'

Other Diagnostic Studies

ECG Pre/Post Op Routine, Ancillary Performed, Status: Future, Expires: S+366, Pre-Admission Testing

Pv carotid duplex Status: Future, Expires: S+366, Routine, Clinic Performed

Us vein mapping lower extremity Status: Future, Expires: S+366, Routine, Clinic Performed

Respiratory

Spirometry pre & post w/ bronchodilator Routine, Status: Future, Expires: S+366, Pre-Admission Testing
Encounter type?

Body Plethysmographic lung volumes Routine, Status: Future, Expires: S+366, Pre-Admission Testing
Encounter type?

Diffusion capacity Routine, Status: Future, Expires: S+366, Pre-Admission Testing
Encounter type?

Spirometry Routine, Status: Future, Expires: S+366, Pre-Admission Testing
Encounter type?

Laboratory: Preoperative Testing Labs - All Facilities

CBC with platelet and differential Routine, Status: Future, Expires: S+366, Clinic Collect
LabCorp Has the patient fasted?
Pre-Admission Testing

Comprehensive metabolic panel Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing

Basic metabolic panel Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing

Prothrombin time with INR Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing

Partial thromboplastin time Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing

Hepatic function panel Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing

Platelet function analysis Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing

Hemoglobin A1c Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing

Type and screen Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing

hCG qualitative, serum screen Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing

POC pregnancy, urine Routine, Point Of Care, Pre-Admission Testing

Urinalysis, automated with microscopy Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing

Laboratory: Additional Labs - HMWB, HMSJ, HMSTJ, HMTW

Urinalysis screen and microscopy, with reflex to culture Routine, Status: Future, Expires: S+366, Clinic Collect
Specimen Source: Urine
Specimen Site:
Pre-Admission Testing

<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	HIV 1, 2 antibody	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Syphilis treponemal IgG	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA screen culture	Routine, Status: Future, Expires: S+366, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional Labs - HMSL, HMW	
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+366, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Rapid HIV 1 & 2	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Syphilis treponemal IgG	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA screen culture	Routine, Status: Future, Expires: S+366, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional Labs - HMM	
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+366, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	HIV Ag/Ab combination	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing

<input type="checkbox"/>	Syphilis treponemal IgG	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA screen culture	Routine, Status: Future, Expires: S+366, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing

Planned ICU Admission Post-Operatively (Admit to Inpatient Order) (Single Response)

Patients who are having an Inpatient Only Procedure as determined by CMS and patients with prior authorization for Inpatient Care may have an Admit to Inpatient order written pre-operatively.

<input type="checkbox"/>	Admit to Inpatient	Diagnosis: Admitting Physician: Level of Care: Patient Condition: Bed request comments: Certification: I certify that based on my best clinical judgment and the patient's condition as documented in the HP and progress notes, I expect that the patient will need hospital services for two or more midnights. Pre-op
--------------------------	--------------------	--

Nursing

Activity	
<input type="checkbox"/>	Ambulate patient Routine, 3 times daily Specify: Pre-op
<input type="checkbox"/>	Strict bed rest Routine, Until discontinued, Starting S, Pre-op
<input type="checkbox"/>	Activity as tolerated; up in chair Routine, Until discontinued, Starting S Specify: Activity as tolerated, Up in chair Additional modifier: Pre-op

Nursing

<input type="checkbox"/>	Vital signs - T/P/R/BP Routine, Per unit protocol, Pre-op
<input type="checkbox"/>	Height and weight Routine, Once, Pre-op
<input type="checkbox"/>	Intake and output Routine, Every shift, Pre-op
<input type="checkbox"/>	Insert and maintain Foley [] Insert Foley catheter Routine, Once Type: Size: Urinometer needed: Pre-op
<input type="checkbox"/>	Foley Catheter Care Routine, Until discontinued, Starting S Orders: Maintain Pre-op

<input type="checkbox"/> Straight cath	Routine, Once, Pre-op
<input type="checkbox"/> Nursing to confirm perioperative antibiotics	Routine, Until discontinued, Starting S Nursing to confirm perioperative antibiotics are to be started in the periop or preop environment to be given within 1 hour prior to the incision., Pre-op
<input type="checkbox"/> Incentive spirometry	Routine, 4 times daily Send incentive spirometer to ICU when patient leaves for operating room., Pre-op
<input type="checkbox"/> Complete consent for	Routine, Once Procedure: Diagnosis/Condition: Physician: Pre-op

Diet

<input type="checkbox"/> NPO	Diet effective now, Starting S NPO: Except meds Pre-Operative fasting options: Pre-op
<input type="checkbox"/> NPO	Diet effective now, Starting S NPO: Pre-Operative fasting options: Nothing by mouth after midnight before surgery except for cardiac and antihypertensive medications., Pre-op
<input type="checkbox"/> Diet	Diet effective now, Starting S Diet(s): Other Diabetic/Cal Diabetic/Calorie: 1800 Kcal/225 gm Carbohydrate Advance Diet as Tolerated? Liquid Consistency: Fluid Restriction: Foods to Avoid: Pre-op
<input type="checkbox"/> Diet	Diet effective now, Starting S Diet(s): Low Fat, Low Cholesterol Advance Diet as Tolerated? Liquid Consistency: Fluid Restriction: Foods to Avoid: Pre-op
<input type="checkbox"/> Diet	Diet effective now, Starting S Diet(s): Regular Advance Diet as Tolerated? Liquid Consistency: Fluid Restriction: Foods to Avoid:

IV Fluids

IV Fluids (Single Response)

<input type="checkbox"/> sodium chloride 0.9 % infusion	75 mL/hr, intravenous, continuous, Pre-op
<input type="checkbox"/> lactated Ringer's infusion	75 mL/hr, intravenous, continuous, Pre-op
<input type="checkbox"/> dextrose 5 % and sodium chloride 0.45 % with potassium chloride 20 mEq/L infusion	75 mL/hr, intravenous, continuous, Pre-op
<input type="checkbox"/> sodium chloride 0.45 % infusion	75 mL/hr, intravenous, continuous, Pre-op
<input type="checkbox"/> sodium chloride 0.45 % 1,000 mL with sodium bicarbonate 75 mEq/L infusion	75 mL/hr, intravenous, continuous, Pre-op

Medications

Medications

<input type="checkbox"/> mupirocin (BACTROBAN) 2 % nasal ointment	1 application, nasal, once, S at 9:00 PM, For 1 Doses, Pre-Procedure Swab in both nostrils the night before surgery
<input type="checkbox"/> mupirocin (BACTROBAN) 2 % nasal ointment	1 application, nasal, once, For 1 Doses, Pre-Procedure In operating room holding area. Swab in both nostrils.

PreOp Antibiotics: For Patients LESS than or EQUAL to 120 kg

<input type="checkbox"/> ceFAZolin (ANCEF) IV - For Patients LESS than or EQUAL to 120 kg	
<input type="checkbox"/> ceFAZolin (ANCEF) IV	2 g, intravenous, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> ampicillin-sulbactam (UNASYN) IV	3 g, intravenous, once, For 1 Doses, Pre-op To be given pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> vancomycin (VANCOCIN) IV - For Penicillin Allergic Patients or High Risk for MRSA	15 mg/kg, intravenous, once, For 1 Doses, Pre-op To be given pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> clindamycin (CLEOCIN) IV - For Penicillin Allergic Patients	900 mg, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op To be given pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis

VTE

Labs

Laboratory

<input type="checkbox"/> BUN level	Once, Pre-op
<input type="checkbox"/> Creatinine level	Once, Pre-op
<input type="checkbox"/> Glucose level	Once, Pre-op
<input type="checkbox"/> CBC with platelet and differential	Once, Pre-op
<input type="checkbox"/> Partial thromboplastin time	Once, Pre-op
<input type="checkbox"/> Prothrombin time with INR	Once, Pre-op
<input type="checkbox"/> Basic metabolic panel	Once, Pre-op
<input type="checkbox"/> Comprehensive metabolic panel	Once, Pre-op
<input type="checkbox"/> Electrolyte panel	Once, Pre-op
<input type="checkbox"/> hCG qualitative, urine	Once, Pre-op
<input type="checkbox"/> Urinalysis screen and microscopy, with reflex to culture	Once Specimen Source: Urine Specimen Site: Pre-op
<input type="checkbox"/> TSH	Once, Pre-op

Cardiology

Imaging

Diagnostic X-Ray

<input type="checkbox"/> Chest 1 Vw	Routine, 1 time imaging For 1 , Pre-op
<input type="checkbox"/> Chest Pa Lateral W Fluoroscopy	Routine, 1 time imaging For 1 , Pre-op

Other Studies

Other Diagnostics

<input type="checkbox"/> ECG Pre/Post Op	Routine, Once Clinical Indications: Interpreting Physician: Pre-op
--	---

Respiratory

Blood Products

Lab Draw

<input type="checkbox"/> Type and screen	Once, Pre-op
--	--------------

Blood Products

<input type="checkbox"/> Red Blood Cells	
<input type="checkbox"/> Prepare RBC	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse RBC	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> Platelets	
<input type="checkbox"/> Prepare platelet pheresis	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse platelets	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> Fresh Frozen Plasma	
<input type="checkbox"/> Prepare fresh frozen plasma	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse fresh frozen plasma	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> Cryoprecipitate	
<input type="checkbox"/> Prepare cryoprecipitate	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse cryoprecipitate	Routine Transfusion duration per unit (hrs): Pre-op

IV Fluid for Blood Transfusion

<input type="checkbox"/> sodium chloride 0.9 % infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
---	---

Medications

<input type="checkbox"/> acetaminophen (TYLENOL) tablet	oral, once, For 1 Doses, Pre-op
<input type="checkbox"/> diphenhydrAMINE (BENADRYL) tablet	25 mg, oral, once, For 1 Doses, Pre-op
<input type="checkbox"/> diphenhydrAMINE (BENADRYL) injection	25 mg, intravenous, once, For 1 Doses, Pre-op
<input type="checkbox"/> hydrocortisone sodium succinate (PF) (Solu-CORTEF) injection	intravenous, once, For 1 Doses, Pre-op
<input type="checkbox"/> furosemide (LASIX) injection	intravenous, once, For 1 Doses, Pre-op
<input type="checkbox"/> furosemide (LASIX) tablet	oral, once, For 1 Doses, Pre-op

Rehab

Consults

For Physician Consult orders use sidebar

Consults

<input type="checkbox"/> Consult to Respiratory Therapy	Reason for Consult? Pre-op
<input type="checkbox"/> Consult to Social Work	Reason for Consult: Discharge Planning Pre-op

Additional Orders