

Heart Transplant Graft Dysfunction [2209]

General

Nursing

Consent

<input type="checkbox"/> Complete consent for	Routine, Once, Starting S Procedure: Right heart catheterization and biopsy Diagnosis/Condition: Indication: Heart allograft dysfunction Physician: Right heart catheterization and biopsy. Indication: Heart allograft dysfunction
<input type="checkbox"/> Complete consent for	Routine, Once Procedure: Left heart catheterization Diagnosis/Condition: Indication: Heart allograft dysfunction Physician: Left heart catheterization Indication: Heart allograft dysfunction

IV Fluids

Medications

IV Steroids (Single Response)

<input type="checkbox"/> methylPREDNISolone (Solu-MEDROL) IV	intravenous, daily If given by IV Push, administer over no less than 3 minutes.
--	--

Premedications

<input type="checkbox"/> acetaminophen (TYLENOL) tablet	650 mg, oral, once, For 1 Doses Give 30 minutes PRIOR to Antithymocyte Globulin infusion.
<input type="checkbox"/> Premedication: diphenhydramine (BENADRYL) tablet OR injection	"Or" Linked Panel
<input type="checkbox"/> diphenhydrAMINE (BENADRYL) tablet	25 mg, oral, once, For 1 Doses Give 30 minutes PRIOR to Antithymocyte Globulin infusion.
<input type="checkbox"/> diphenhydrAMINE (BENADRYL) injection	25 mg, intravenous, once, For 1 Doses Give 30 minutes PRIOR to Antithymocyte Globulin infusion.
<input type="checkbox"/> Premedications: Steroids (Single Response)	
<input type="checkbox"/> methylPREDNISolone sodium succinate (Solu-MEDROL) injection	intravenous, once, For 1 Doses Give 1 hour PRIOR to Antithymocyte Globulin infusion.
<input type="checkbox"/> hydrocortisone sodium succinate (Solu-CORTEF) injection	intravenous, once, For 1 Doses Give 30 minutes PRIOR to Antithymocyte Globulin infusion.

Antithymocyte Immune Globulin

<input type="checkbox"/> antithymocyte globulin (rabbit) (THYMOGLOBULIN) 1.5 mg/kg in sodium chloride 0.9 % 250 mL IVPB	1.5 mg/kg, intravenous, for 6 Hours, once, Starting H+30 Minutes, For 1 Doses
---	---

Infusion Reation Management

<input type="checkbox"/> hydrocortisone sodium succinate (Solu-CORTEF) injection	100 mg, intravenous, once PRN, chills, For 1 Doses
<input type="checkbox"/> acetaminophen (TYLENOL) tablet	325 mg, oral, every 6 hours PRN, fever, for Temperature GREATER than 100 F

Labs

Laboratory

<input type="checkbox"/> B natriuretic peptide	Once
<input type="checkbox"/> Troponin	Once
<input type="checkbox"/> C1q complement component	Once
<input type="checkbox"/> HLA antibody screen - post transplant	Once

Cardiology

Cardiology

- | | |
|--|--|
| <input type="checkbox"/> Echocardiogram complete w contrast and 3D if needed | STAT, 1 time imaging For 1 Occurrences
STAT; To assess LV Function. |
| <input type="checkbox"/> Echocardiogram complete w contrast and 3D if needed | Routine, 1 time imaging
ASAP; To assess LV Function. |

Imaging

Other Studies

Respiratory

Rehab

Consults

For Physician Consult orders use sidebar

Additional Orders