# ED Initial Nursing Panels

## **General Nursing Panels (Single Response)**

) ED Initial Triage	
[] Insert and Maintain IV	"And" Linked Panel
[] Insert peripheral IV	STAT, Once For 1 Occurrences
[] Saline lock IV	Routine, Once For 1 Occurrences
[] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
[X] CBC with platelet and differential	Once For 1 Occurrences
[X] Comprehensive metabolic panel	Once For 1 Occurrences
[] Urinalysis screen and microscopy, with reflex to culture	Once For 1 Occurrences
	Specimen Source: Urine
	Specimen Site:
[] Aerobic culture	Once For 1 Occurrences
[] Anaerobic culture	Once For 1 Occurrences

) ED Initial Abdominal Pain	
[] Insert and Maintain IV	"And" Linked Panel
[] Insert peripheral IV	STAT, Once For 1 Occurrences
[] Saline lock IV	Routine, Once For 1 Occurrences
[] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
[X] CBC with platelet and differential	STAT For 1 Occurrences
[X] Comprehensive metabolic panel	STAT For 1 Occurrences
[X] Lipase	STAT For 1 Occurrences
[] Calcium level	STAT For 1 Occurrences
[] Lactic acid level, SEPSIS - Now and repeat 2x every 3 hours	Now and repeat 2x every 3 hours For 3 Occurrences
[X] Urine Culture and Urinalysis	"And" Linked Panel
[x] Urine culture	Once For 1 Occurrences, Urine
[x] Urinalysis	STAT For 1 Occurrences
[] hCG qualitative, urine screen	STAT For 1 Occurrence

( ) EC	O Initial Allergic Reaction/Anaphylaxis	
[]	Insert and Maintain IV	"And" Linked Panel
[]	Insert peripheral IV	STAT, Once For 1 Occurrences
[]	Saline lock IV	Routine, Once For 1 Occurrences
[]	sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
[]	ED bedside monitoring	STAT, Continuous
[X]	CBC with differential	STAT For 1 Occurrences
[X]	Comprehensive metabolic panel	STAT For 1 Occurrences
[]	hCG QUALitative, urine	STAT For 1 Occurrences
[]	hCG QUALitative, serum	STAT For 1 Occurrences

[] Insert and Maintain IV	"And" Linked Panel
[] Insert peripheral IV	STAT, Once For 1 Occurrences
] Saline lock IV	Routine, Once For 1 Occurrences
] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
X] ED bedside monitoring	STAT, Continuous
(] ECG 12 lead	STAT, STAT For 1 Occurrences
	Clinical Indications:
	Interpreting Physician:
] XR Chest 2 Vw	STAT, 1 time imaging For 1 Occurrences
	If patient ambulatory
] XR Chest 1 Vw Portable	STAT, 1 time imaging For 1 Occurrences
	If patient non- ambulatory
X] CBC with platelet and differential	STAT For 1 Occurrences
Partial thromboplastin time, activated	STAT For 1 Occurrences
Prothrombin time with INR	STAT For 1 Occurrences
(] Comprehensive metabolic panel	STAT For 1 Occurrences
[] B natriuretic peptide	STAT For 1 Occurrences
[] Troponin Series ACS	Now then every 3 hours For 3 Occurrences
hCG QUALitative, urine	STAT For 1 Occurrences

### () ED Initial Code [] ECG 12 lead STAT, STAT For 1 Occurrences Clinical Indications: Interpreting Physician: [] XR Chest 1 Vw Portable STAT, 1 time imaging For 1 Occurrences STAT For 1 Occurrences [] Arterial blood gas [] B natriuretic peptide STAT For 1 Occurrences [X] Comprehensive metabolic panel STAT For 1 Occurrences [X] CBC with platelet and differential STAT For 1 Occurrences [X] Lactic acid level STAT For 1 Occurrences [X] Prothrombin time with INR STAT For 1 Occurrences [X] Partial thromboplastin time, activated STAT For 1 Occurrences [X] Troponin STAT For 1 Occurrences

X] Insert and Maintain IV	"And" Linked Panel
(Insert peripheral IV	STAT, Once For 1 Occurrences
X] Saline lock IV	Routine, Once For 1 Occurrences
X] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
X] ECG 12 lead	Routine, STAT For 1 Occurrences
	Clinical Indications:
	Interpreting Physician:
X] CT Stroke Brain Wo Contrast	STAT, 1 time imaging For 1 Occurrences
X] CTA Head W Wo Contrast	STAT, 1 time imaging For 1 Occurrences
[X] CTA Neck W Wo Contrast	STAT, 1 time imaging For 1 Occurrences
X] Dysphagia screen	STAT, Once For 1 Occurrences
	No oral medications until dysphagia screen is complete
X] No oral medications until dysphagia screen is complete	Routine, Once For 1 Occurrences
[X] CBC and differential	STAT For 1 Occurrences
X] Partial thromboplastin time	STAT For 1 Occurrences
X] Prothrombin time with INR	STAT For 1 Occurrences
X] Comprehensive metabolic panel	STAT For 1 Occurrences
X] Troponin Series ACS	Now then every 3 hours For 3 Occurrences
[X] Bedside glucose	STAT, Once
	Perform prior to CT. May use EMS results if available.
Ammonia level	STAT For 1 Occurrences
Alcohol level, blood	STAT For 1 Occurrences
Urine Culture and Urinalysis	"And" Linked Panel
Trine culture	Once For 1 Occurrences, Urine
] Urinalysis	STAT For 1 Occurrences
Urine drugs of abuse screen	STAT For 1 Occurrences
] hCG QUALitative, urine	STAT For 1 Occurrences
hCG QUALitative, serum	STAT For 1 Occurrences

( ) ED Initial Female GU/UTI/Pregnancy	
[] Insert and Maintain IV	"And" Linked Panel
[] Insert peripheral IV	STAT, Once For 1 Occurrences
[] Saline lock IV	Routine, Once For 1 Occurrences
[] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
[X] CBC with differential	STAT For 1 Occurrences
[] RH type	STAT For 1 Occurrences
[] Type and screen, obstetrical patient	STAT For 1 Occurrences
[X] Comprehensive metabolic panel	STAT For 1 Occurrences
[] Urine drugs of abuse screen	STAT For 1 Occurrences
[X] Urinalysis	Once For 1 Occurrences
[X] Urine culture	Once For 1 Occurrences, Urine
[] hCG QUANtitative, serum	STAT For 1 Occurrences
[] hCG QUALitative, urine	STAT For 1 Occurrences

ED Initial Fever (Adult)	
I Insert and Maintain IV	"And" Linked Panel
Insert peripheral IV	STAT, Once For 1 Occurrences
[] Saline lock IV	Routine, Once For 1 Occurrences
[] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
[] XR Chest 1 Vw Portable	STAT, 1 time imaging For 1 Occurrences
[] acetaminophen (TYLENOL) TAB 650 mg	650 mg, oral, once, For 1 Doses for temp > 100.5
[] acetaminophen 160mg /5ml (TYLENOL) Liquid	650 mg, oral, once, For 1 Doses for temp > 100.5
] acetaminophen (TYLENOL) SUPP 650 mg	650 mg, rectal, once, For 1 Doses for temp > 100.5
[] ibuprofen (MOTRIN) TAB 400-600 mg	400-600 mg, oral, once, For 1 Doses for temp > 100.5
[] CBC with differential	STAT For 1 Occurrences
] Comprehensive metabolic panel	STAT For 1 Occurrences
] Lactic acid	STAT For 1 Occurrences
] ED LAB BLOOD CULTURE X2	
Blood culture (Aerobic & Anaerobic)	Once For 1 Occurrences, Blood
Blood culture (Aerobic & Anaerobic)	Once For 1 Occurrences, Blood
[] Urine culture	Once, Urine
[] hCG, serum, quantitative	STAT For 1 Occurrences

ED Initial Fever (Pediatric)  [] Insert and Maintain IV	"And" Linked Panel
Insert and Maintain IV     Insert peripheral IV	
• • • • • • • • • • • • • • • • • • • •	STAT, Once For 1 Occurrences
[] Saline lock IV	Routine, Once For 1 Occurrences
[] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
[] XR Chest 1 Vw Portable	STAT, 1 time imaging For 1 Occurrences
[] acetaminophen (TYLENOL) liquid	15 mg/kg, oral, once, For 1 Doses
acetaminophen (TYLENOL) suppository	120 mg, rectal, once, For 1 Doses
[] ibuprofen (MOTRIN) 100 mg/5 mL suspension	10 mg/kg, oral, once, For 1 Doses
] CBC with differential	STAT For 1 Occurrences
] Comprehensive metabolic panel	STAT For 1 Occurrences
] Lactic acid	STAT For 1 Occurrences
] ED LAB BLOOD CULTURE X2	
] Blood culture (Aerobic & Anaerobic)	Once For 1 Occurrences, Blood
] Blood culture (Aerobic & Anaerobic)	Once For 1 Occurrences, Blood
Urine culture	Once, Urine
] hCG, serum, quantitative	STAT For 1 Occurrences

ED Initial Hyperglycemia	
[] Insert and Maintain IV	"And" Linked Panel
[] Insert peripheral IV	STAT, Once For 1 Occurrences
[] Saline lock IV	Routine, Once For 1 Occurrences
[] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
[X] ECG 12 lead	Routine, STAT For 1 Occurrences
	Clinical Indications:
	Interpreting Physician:
[X] CBC with differential	STAT For 1 Occurrences
[X] Comprehensive metabolic panel	STAT For 1 Occurrences
[X] Beta hydroxybutyrate	STAT For 1 Occurrences
[] Creatine kinase total (CPK)	STAT For 1 Occurrences
[] Alcohol level, blood	STAT For 1 Occurrences
[] hCG QUALitative, urine	STAT For 1 Occurrences
[] hCG QUALitative, serum	STAT For 1 Occurrences

ED Initial Hypoglycemia	
[] Insert and Maintain IV	"And" Linked Panel
[] Insert peripheral IV	STAT, Once For 1 Occurrences
[] Saline lock IV	Routine, Once For 1 Occurrences
[] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
[] ECG 12 lead	Routine, STAT For 1 Occurrences
	Clinical Indications:
	Interpreting Physician:
[X] CBC with differential	Once
[X] Comprehensive metabolic panel	Once
[] Alcohol level, blood	Once
[X] Urinalysis	Once For 1 Occurrences
[X] Urine culture	Once For 1 Occurrences, Urine
[] hCG QUALitative, serum	STAT For 1 Occurrences
[] hCG QUALitative, urine	STAT For 1 Occurrences

#### () ED Initial GI Bleed [] Insert and Maintain IV "And" Linked Panel STAT, Once For 1 Occurrences Insert peripheral IV Saline lock IV Routine, Once For 1 Occurrences sodium chloride 0.9 % flush 10 mL, intravenous, PRN, line care [] ECG 12 lead Routine, STAT For 1 Occurrences Clinical Indications: Interpreting Physician: [X] CBC with differential STAT For 1 Occurrences [X] Prothrombin time with INR STAT For 1 Occurrences [] Partial thromboplastin time STAT For 1 Occurrences [X] Type and screen Once [X] Comprehensive metabolic panel STAT For 1 Occurrences [X] Lipase STAT For 1 Occurrences [] Alcohol level, blood STAT For 1 Occurrences [] Ammonia level STAT For 1 Occurrences STAT For 1 Occurrences [] hCG QUALitative, urine [] hCG QUALitative, serum STAT For 1 Occurrences

( )	Mild Pain ( Pain Score 1-3) (Single Response)	
()	acetaminophen (TYLENOL) tablet - 650 mg	650 mg, oral, once, For 1 Doses Maximum of 3 grams of acetaminophen per day from all sources. (Cirrhosis patients maximum: 2 grams per day from all sources)
( )	acetaminophen (TYLENOL) suspension - 650 mg	650 mg, oral, once, For 1 Doses Maximum of 3 grams of acetaminophen per day from all sources. (Cirrhosis patients maximum: 2 grams per day from all sources). Use if patient cannot swallow tablet.
()	ibuprofen (ADVIL,MOTRIN) tablet - 600 mg	600 mg, oral, once, For 1 Doses  Not recommended for patients with eGFR LESS than 30 mL/min or acute kidney injury.
( )	ibuprofen (ADVIL,MOTRIN) 100 mg/5 mL suspension - 600 mg	600 mg, oral, once, For 1 Doses  Not recommended for patients with eGFR LESS than 30 mL/min or acute kidney injury. Use if patient cannot swallow tablet.
( )	naproxen (NAPROSYN) tablet - 250 mg - Not recommended for patients with eGFR LESS than 30 mL/min.	250 mg, oral, once, For 1 Doses  Not recommended for patients with eGFR LESS than 30 mL/min.
()	Moderate Pain (Pain Score 4-6) - Oral Medications	
[]	acetaminophen-codeine (TYLENOL #3) 300-30 mg per tablet	1 tablet, oral, once, For 1 Doses  Maximum of 3 grams of acetaminophen per day from all sources. (Cirrhosis patients maximum: 2 grams per day from all sources)
[]	acetaminophen-codeine 300 mg-30 mg /12.5 mL solution - 12.5 mL	12.5 mL, oral, once, For 1 Doses  Maximum of 3 grams of acetaminophen per day from all sources. (Cirrhosis patients maximum: 2 grams per day from all sources)  Use if patient cannot swallow tablet.
[]	HYDROcodone-acetaminophen (NORCO) 5-325 mg per tablet	1 tablet, oral, once, For 1 Doses Hold for sedation.
[]	HYDROcodone-acetaminophen (LORTAB) 2.5-167 mg/5 mL solution - 10 mL	10 mL, oral, once, For 1 Doses Hold for sedation. Use the oral elixir if patient cannot swallow a tablet.
[]	HYDROcodone-acetaminophen (NORCO) 7.5-325 mg per tablet	1 tablet, oral, once, For 1 Doses  Maximum of 3 grams of acetaminophen per day from all sources. (Cirrhosis patients maximum: 2 grams per day from all sources)
[]	HYDROcodone-acetaminophen (HYCET) 7.5-325 mg/15 mL solution - 15 mL	15 mL, oral, once, For 1 Doses  Maximum of 3 grams of acetaminophen per day from all sources. (Cirrhosis patients maximum: 2 grams per day from all sources) Use if patient cannot swallow tablet.
[]	HYDROcodone-acetaminophen (NORCO 10-325) 10-325 mg per tablet	1 tablet, oral, once, For 1 Doses  Maximum of 3 grams of acetaminophen per day from all sources. (Cirrhosis patients maximum: 2 grams per day from all sources)
]	HYDROcodone-acetaminophen (HYCET) 7.5-325 mg/15 mL solution - 20 mL	20 mL, oral, once, For 1 Doses  Maximum of 3 grams of acetaminophen per day from all sources. (Cirrhosis patients maximum: 2 grams per day from all sources) Use if patient cannot swallow tablet.
[]	traMADol (ULTRAM) tablet - 50 mg - For eGFR LESS than 30 mL/min, change frequency to every 12 hours)	50 mg, oral, once, For 1 Doses (Max Daily dose not to exceed 200 mg/day)

( )	ED Initial Pain (Pediatric)		
	[] acetaminophen (TYLENOL) liquid	15 mg/kg, oral, once, For 1 Doses	
	[] acetaminophen (TYLENOL) 120mg suppository	120 mg, rectal, once, For 1 Doses	
	[] ibuprofen (MOTRIN) 100 mg/5 mL suspension	10 mg/kg, oral, once, For 1 Doses	

#### () ED Initial Pediatric [] Insert and Maintain IV "And" Linked Panel STAT, Once For 1 Occurrences Insert peripheral IV Saline lock IV Routine, Once For 1 Occurrences sodium chloride 0.9 % flush 10 mL, intravenous, PRN, line care [X] Basic metabolic panel STAT For 1 Occurrences [X] CBC with differential STAT For 1 Occurrences STAT For 1 Occurrences, Throat [] Group A strep, rapid antigen [] RSV, rapid antigen STAT For 1 Occurrences [] Influenza antigen STAT For 1 Occurrences [] C-reactive protein STAT For 1 Occurrences [] Aerobic culture STAT For 1 Occurrences [] Anaerobic culture STAT For 1 Occurrences [] Rotavirus antigen, stool STAT For 1 Occurrences, Stool [X] Urinalysis Once For 1 Occurrences

Once For 1 Occurrences, Urine

[X] Urine culture

) ED Initial Psych	
[] ECG 12 lead	Routine, STAT For 1 Occurrences
••	Clinical Indications:
	Interpreting Physician:
[X] CBC with differential	STAT For 1 Occurrences
[X] Comprehensive metabolic panel	Once For 1 Occurrences
[] Creatine kinase, total (CPK)	STAT For 1 Occurrences
[X] TSH	STAT For 1 Occurrences
[X] T4, free	STAT For 1 Occurrences
[X] Alcohol level, blood	STAT For 1 Occurrences
[X] Acetaminophen level	STAT For 1 Occurrences
[X] Salicylate level	STAT For 1 Occurrences
[] Lithium level	STAT For 1 Occurrences
[] Carbamazepine level	STAT For 1 Occurrences
[] Phenytoin level	STAT For 1 Occurrences
[] Valproic acid level	STAT For 1 Occurrences
[X] Urine drugs of abuse screen	STAT For 1 Occurrences
[X] Urine Culture and Urinalysis	"And" Linked Panel
[x] Urine culture	Once For 1 Occurrences, Urine
[x] Urinalysis	STAT For 1 Occurrences
[] hCG QUALitative, serum	STAT For 1 Occurrences
[] hCG QUALitative, urine	STAT For 1 Occurrences

ED Initial Renal Hyper K	
[] Insert and Maintain IV	"And" Linked Panel
[] Insert peripheral IV	STAT, Once For 1 Occurrences
[] Saline lock IV	Routine, Once For 1 Occurrences
[] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
[X] ECG 12 lead	Routine, STAT For 1 Occurrences
	Clinical Indications:
	Interpreting Physician:
[X] ED bedside monitoring	STAT, Continuous
[X] Comprehensive metabolic panel	STAT For 1 Occurrences
[X] CBC with platelet and differential	STAT For 1 Occurrences
[] Bedside glucose	STAT, Once

ED Initial Sickle Cell	
[] Insert and Maintain IV	"And" Linked Panel
[] Insert peripheral IV	STAT, Once For 1 Occurrences
[] Saline lock IV	Routine, Once For 1 Occurrences
[] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
[] ECG 12 lead	Routine, STAT For 1 Occurrences
	Clinical Indications:
	Interpreting Physician:
[X] CBC with differential	STAT For 1 Occurrences
[X] Reticulocyte count	STAT For 1 Occurrences
[X] Comprehensive metabolic panel	STAT For 1 Occurrences
[] Lipase	STAT For 1 Occurrences
[X] Lactate dehydrogenase, LDH	STAT For 1 Occurrences
[X] Troponin	STAT For 1 Occurrences
[] Anaerobic culture	STAT For 1 Occurrences
[] Aerobic culture	STAT For 1 Occurrences
[X] Urine drugs of abuse screen	STAT For 1 Occurrences
[X] Urinalysis	Once For 1 Occurrences
[X] Urine culture	Once For 1 Occurrences, Urine
[] POC urinalysis dipstick	Once For 1 Occurrences
[] hCG QUALitative, serum	STAT For 1 Occurrences
[] hCG QUALitative, urine	STAT For 1 Occurrences

ED Initial Trauma	
[] Insert and Maintain IV	"And" Linked Panel
[] Insert peripheral IV	STAT, Once For 1 Occurrences
[] Saline lock IV	Routine, Once For 1 Occurrences
[] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care
[X] CBC with differential	STAT For 1 Occurrences
[] Prothrombin time with INR	STAT For 1 Occurrences
[] Partial thromboplastin time	STAT For 1 Occurrences
[X] Type and screen	STAT For 1 Occurrences
[X] Comprehensive metabolic panel	STAT For 1 Occurrences
[] Alcohol level, blood	STAT For 1 Occurrences
[] Urine Culture and Urinalysis	"And" Linked Panel
[] Urine culture	Once For 1 Occurrences, Urine
[] Urinalysis	STAT For 1 Occurrences
[] hCG QUALitative, urine	STAT For 1 Occurrences
[1] hCG QUANtitative, serum	STAT For 1 Occurrences