Pericardiocentesis Pre and Post Procedure [1639] Pre-procedure **Nursing Care** [] Initiate and maintain IV [] Insert peripheral IV Routine, Once [] sodium chloride 0.9 % flush 10 mL, intravenous, every 12 hours scheduled [] sodium chloride 0.9 % flush 10 mL, intravenous, PRN, line care Diet [X] NPO Diet effective now, Starting S Pre-Operative fasting options: Consent [X] Complete Consent Form Routine, Once For 1 Occurrences Consent For: Pericardiocentesis Procedure: Pericardiocentesis Diagnosis/Condition: Physician: Risks, benefits, and alternatives (as outlined by the Texas Medical Disclosure Panel, as appears on Houston Methodist Medical/Surgical Consent forms) were discussed with patient/surrogate? Place on chart Post-Procedure **Vital Signs** [] Vital signs - T/P/R/BP Routine, Every 15 min For 2 Hours Every 15 minutes x 2 hours post pericardiocentesis, Post-op **Activity** [] Strict bed rest Routine, Until discontinued, Starting S, Post-op [] Bed rest with bedside commode Routine, Until discontinued, Starting S Bathroom Privileges: with bedside commode Post-op **Nursing Care** [X] Assess operative site Routine, Every 8 hours Assess for bleeding, Post-op [X] Assess quality of respirations Routine, Once Assess: quality of respirations Post-op [X] Head of bed Routine, Until discontinued, Starting S Head of bed: 30 degrees Post-op Routine, Every 8 hours [] Drain care Drain 1: Other Specify: Pericardial drain- Aspirate and drain every 8 hours Specify location: Pericardial area Drainage/Suction: Flush drain with: Drain 2: Drain 3: Drain 4: Hang drainage bag on bedside below chest level, Post-op

[] If blood pressure drops by 20 mmHg from baseline and heart rate increases by 20 beats per minute from baseline, administer PRN Normal Saline 500 cc IV bolus order and notify physician immediately.	Routine, Until discontinued, Starting S Temperature greater than: Temperature less than: Systolic BP greater than: Systolic BP less than: Diastolic BP less than: Diastolic BP less than: MAP less than: Heart rate greater than (BPM): Heart rate less than (BPM): Heart rate less than (BPM): Respiratory rate less than: SpO2 less than: SpO2 less than: Glucose greater than: Glucose greater than: Glucose greater than: Het less than: Hot less than: Hot less than: Hot less than: PDI greater than: Magnesium greater than (mg/dL): Magnesium less than (mg/dL): Platelets less than: Potassium greater than (mEq/L): PT/INR greater than: PT/INR greater than: PT/INR greater than: PTT greater than: PTT greater than: Sorum Osmolality greater than: Serum Osmolality greater than: Sodium greater than: Sodium less than: UBC greater than: UBC less than: UBC greater than: UBC less than: UBC less than: UBC greater than:
	·
IV Fluids	
IV Fluids	
[] sodium chloride 0.9 % bolus	500 mL, intravenous, PRN, low blood pressure, Post-op If blood pressure drops by 20 mmHg from baseline and hear rate increases by 20 beats per minute from baseline, administer PRN Normal Saline 500 cc IV bolus order and notify physician immediately.
Medications	
Mild Pain (Pain Score 1-3) (Single Response)	
() acetaminophen (TYLENOL) tablet	650 mg, oral, every 4 hours PRN, mild pain (score 1-3), Post-op
Moderate Pain (Pain Score 4-6) (Single Response)	
() acetaminophen-codeine (TYLENOL #3) 300-30 mg tablet	1 tablet, oral, every 4 hours PRN, moderate pain (score 4-6) Post-op Give if patient is able to tolerate oral medication
() HYDROcodone-acetaminophen (NORCO) 5-325 mg tablet	1 tablet, oral, every 4 hours PRN, moderate pain (score 4-6) Post-op Give if patient is able to tolerate oral medication
Severe Pain (Pain Score 7-10) (Single Response)	Page 2

Printed on 3/5/2020 at 3:07 PM from SUP

() morphine 2 mg/mL injection	2 mg, intravenous, every 2 hour PRN, severe pain (score 7-10), Post-op
() fentaNYL (SUBLIMAZE) injection	Use if patient is unable to swallow or faster onset is needed 25 mcg, intravenous, every 2 hour PRN, severe pain (score
	7-10), Post-op
	Use if patient is unable to swallow or faster onset is needed
Imaging	
Imaging	
[] Cv echo 2d limited or follow up study	Routine, 1 time imaging, Post-op
Labs	
Chemistry	
[] Albumin	Once
[] Amylase	Once
[] Basic metabolic panel	Once
[] Cholesterol, total	Once
[] Lactate dehydrogenase, LDH	Once
[] Protein, total	Once
[] Triglycerides	Once
Pericardial Fluid- Chemistry	
[] Amylase, body fluid	Once
	Specimen Source:
[] Body fluid cell count with differential	Once
	Specimen Source:
[] Cytology (non-gynecological) request	A paper requisition will print when this order is submitted. The printout must accompany the specimen to the lab.
[] Lactate dehydrogenase, body fluid	Once
	Specimen Source:
[] Lipase, body fluid	Once
	Specimen Source:
[] Protein, body fluid	Once
	Specimen Source:
Pericardial Fluid- Microbiology	
[] AFB culture	Once, Pericardial fluid
[] AFB stain	Once, Pericardial fluid
[] Aerobic culture	Once, Pericardial fluid
[] Anaerobic culture	Once, Pericardial fluid
[] Trideresia darrara	
[] Fungus culture	Once, Pericardial fluid
**	Once, Pericardial fluid Once, Pericardial fluid