

General

Pre Anesthesia Testing Orders

The ambulatory orders in this section are specifically for Pre Anesthesia Testing. For additional PAT orders, please use 'Future Status' and 'Pre-Admission Testing Phase of Care'

[] Other Diagnostic Studies

<input type="checkbox"/> ECG Pre/Post Op	Routine, Ancillary Performed, Status: Future, Expires: S+365, Pre-Admission Testing
<input type="checkbox"/> Pv carotid duplex	Status: Future, Expires: S+365, Routine, Clinic Performed
<input type="checkbox"/> Us vein mapping lower extremity	Status: Future, Expires: S+365, Routine, Clinic Performed

[] Respiratory

<input type="checkbox"/> Spirometry pre & post w/ bronchodilator	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Body Plethysmographic lung volumes	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Diffusion capacity	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Spirometry	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?

[] Laboratory: Preoperative Testing Labs - All Facilities

<input type="checkbox"/> COVID-19 qualitative PCR - Nasopharyngeal Swab	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Nasopharyngeal Swab Is this for pre-procedure or non-PUI assessment? Yes Pre-Admission Testing
<input type="checkbox"/> CBC with platelet and differential	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Comprehensive metabolic panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Basic metabolic panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Prothrombin time with INR	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Partial thromboplastin time	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Hepatic function panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Platelet function analysis	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Hemoglobin A1c	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Type and screen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> hCG qualitative, serum screen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> POC pregnancy, urine	Routine, Point Of Care, Pre-Admission Testing
<input type="checkbox"/> Urinalysis, automated with microscopy	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

[] Laboratory: Additional Labs - HMWB, HMSJ, HMSTJ, HMTW

<input type="checkbox"/> Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/> CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> HIV 1, 2 antibody	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Syphilis total antibody	Routine, Status: Future, Expires: S+365, Clinic Collect

<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA screen culture	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional Labs - HMSL, HMW	
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Rapid HIV 1 & 2	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Syphilis total antibody	Routine, Status: Future, Expires: S+365, Clinic Collect
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA screen culture	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional Labs - HMM	
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	HIV Ag/Ab combination	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Syphilis total antibody	Routine, Status: Future, Expires: S+365, Clinic Collect
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

<input type="checkbox"/>	MRSA screen culture	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Laboratory: Additional for Bariatric patients		
<input type="checkbox"/>	Lipid panel	Routine, Status: Future, Expires: S+365, Clinic Collect Has the patient been fasting for 8 hours or more? Pre-Admission Testing
<input type="checkbox"/>	hCG qualitative, serum screen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Total iron binding capacity	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4, free	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Hemoglobin A1c	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Parathyroid hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	CBC with platelet and differential	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prothrombin time with INR	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Partial thromboplastin time, activated	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin A level, plasma or serum	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin B12 level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Copper level, serum	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Folate level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin B1 level, whole blood	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Zinc level, serum	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

Case Request (Single Response)

<input type="checkbox"/> Obstetric Surgery (Single Response)	
<input type="checkbox"/> DELIVERY, CESAREAN	Procedure: DELIVERY, CESAREAN, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/> HYSTEROSCOPY, DIAGNOSTIC	Procedure: HYSTEROSCOPY, DIAGNOSTIC, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/> HYSTEROSCOPY, WITH BIOPSY OR POLYPECTOMY	Procedure: HYSTEROSCOPY, WITH BIOPSY OR POLYPECTOMY, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/> DILATION AND CURETTAGE, UTERUS, FOR MISSED FIRST TRIMESTER ABORTION	Procedure: DILATION AND CURETTAGE, UTERUS, FOR MISSED FIRST TRIMESTER ABORTION, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/> DILATION AND CURETTAGE, UTERUS, FOR INCOMPLETE ABORTION	Procedure: DILATION AND CURETTAGE, UTERUS, FOR INCOMPLETE ABORTION, Scheduling/ADT, Scheduling/ADT

() DILATION AND CURETTAGE, UTERUS, DIAGNOSTIC	Procedure: DILATION AND CURETTAGE, UTERUS, DIAGNOSTIC, Scheduling/ADT, Scheduling/ADT
() HYSTERECTOMY, VAGINAL, LAPAROSCOPIC-ASSISTED	Procedure: HYSTERECTOMY, VAGINAL, LAPAROSCOPIC-ASSISTED, Scheduling/ADT, Scheduling/ADT
() HYSTERECTOMY, VAGINAL, LAPAROSCOPIC, ROBOT-ASSISTED	Procedure: HYSTERECTOMY, VAGINAL, LAPAROSCOPIC, ROBOT-ASSISTED, Scheduling/ADT, Scheduling/ADT
() LIGATION, FALLOPIAN TUBE, BILATERAL, LAPAROSCOPIC	Procedure: LIGATION, FALLOPIAN TUBE, BILATERAL, LAPAROSCOPIC, Scheduling/ADT, Scheduling/ADT
() MYOMECTOMY, ABDOMINAL APPROACH	Procedure: MYOMECTOMY, ABDOMINAL APPROACH, Scheduling/ADT, Scheduling/ADT
() CERCLAGE, CERVIX, VAGINAL APPROACH	Procedure: CERCLAGE, CERVIX, VAGINAL APPROACH, Scheduling/ADT, Scheduling/ADT
() Case request operating room	Scheduling/ADT, Scheduling/ADT
() Gynecology Surgery (Single Response)	
() HYSTEROSCOPY, DIAGNOSTIC	Procedure: HYSTEROSCOPY, DIAGNOSTIC, Scheduling/ADT, Scheduling/ADT
() HYSTEROSCOPY, WITH BIOPSY OR POLYPECTOMY	Procedure: HYSTEROSCOPY, WITH BIOPSY OR POLYPECTOMY, Scheduling/ADT, Scheduling/ADT
() HYSTEROSCOPY, WITH UTERINE ABLATION	Procedure: HYSTEROSCOPY, WITH UTERINE ABLATION, Scheduling/ADT, Scheduling/ADT
() HYSTEROSCOPY W ENDOMETRIAL ABLATION, W DILATION AND CURETTAGE, UTERUS, W BILATERAL TUBAL LIGATION	Procedure: HYSTEROSCOPY W ENDOMETRIAL ABLATION, W DILATION AND CURETTAGE, UTERUS, W BILATERAL TUBAL LIGATION, Scheduling/ADT, Scheduling/ADT
() HYSTERECTOMY, ABDOMINAL, LAPAROSCOPIC, ROBOT-ASSISTED	Procedure: HYSTERECTOMY, ABDOMINAL, LAPAROSCOPIC, ROBOT-ASSISTED, Scheduling/ADT, Scheduling/ADT
() XI ROBOTIC ASSISTED LAPAROSCOPIC HYSTERECTOMY W/ BSO	Procedure: XI ROBOTIC ASSISTED LAPAROSCOPIC HYSTERECTOMY W/ BSO, Scheduling/ADT, Scheduling/ADT
() HYSTERECTOMY, TOTAL, ABDOMINAL, LAPAROSCOPIC	Procedure: HYSTERECTOMY, TOTAL, ABDOMINAL, LAPAROSCOPIC, Scheduling/ADT, Scheduling/ADT
() DILATION AND CURETTAGE, UTERUS, FOR MISSED FIRST TRIMESTER ABORTION	Procedure: DILATION AND CURETTAGE, UTERUS, FOR MISSED FIRST TRIMESTER ABORTION, Scheduling/ADT, Scheduling/ADT
() DILATION AND CURETTAGE, UTERUS, FOR INCOMPLETE ABORTION	Procedure: DILATION AND CURETTAGE, UTERUS, FOR INCOMPLETE ABORTION, Scheduling/ADT, Scheduling/ADT
() DILATION AND CURETTAGE, UTERUS, DIAGNOSTIC	Procedure: DILATION AND CURETTAGE, UTERUS, DIAGNOSTIC, Scheduling/ADT, Scheduling/ADT
() LEEP CONIZATION, CERVIX	Procedure: LEEP CONIZATION, CERVIX, Scheduling/ADT, Scheduling/ADT
() SALPINGECTOMY	Procedure: SALPINGECTOMY, Scheduling/ADT, Scheduling/ADT
() Case request operating room	Scheduling/ADT, Scheduling/ADT
() Gynecology & Urology Surgery (Single Response)	
() COLPORRHAPHY, COMBINED ANTEROPOSTERIOR	Procedure: COLPORRHAPHY, COMBINED ANTEROPOSTERIOR, Scheduling/ADT, Scheduling/ADT
() CYSTOSCOPY	Procedure: CYSTOSCOPY, Scheduling/ADT, Scheduling/ADT
() CYSTO STENT INSERTION	Procedure: CYSTO STENT INSERTION, Scheduling/ADT, Scheduling/ADT
() CYSTO, WITH BLADDER BIOPSY	Procedure: CYSTO, WITH BLADDER BIOPSY, Scheduling/ADT, Scheduling/ADT
() CYSTO, URETEROSCOPY	Procedure: CYSTO, URETEROSCOPY, Scheduling/ADT, Scheduling/ADT
() EXTRACORPOREAL SHOCKWAVE LITHOTRIPSY (ESWL)	Procedure: EXTRACORPOREAL SHOCKWAVE LITHOTRIPSY (ESWL), Scheduling/ADT, Scheduling/ADT
() HYSTERECTOMY, VAGINAL, LAPAROSCOPIC-ASSISTED	Procedure: HYSTERECTOMY, VAGINAL, LAPAROSCOPIC-ASSISTED, Scheduling/ADT, Scheduling/ADT
() HYSTERECTOMY, VAGINAL, LAPAROSCOPIC, ROBOT-ASSISTED	Procedure: HYSTERECTOMY, VAGINAL, LAPAROSCOPIC, ROBOT-ASSISTED, Scheduling/ADT, Scheduling/ADT
() HYSTERECTOMY, VAGINAL	Procedure: HYSTERECTOMY, VAGINAL, Scheduling/ADT, Scheduling/ADT
() SLING, PUBOVAGINAL	Procedure: SLING, PUBOVAGINAL, Scheduling/ADT, Scheduling/ADT
() Case request operating room	Scheduling/ADT, Scheduling/ADT

() Gynecology Oncology Surgery (Single Response)

() HYSTEROSCOPY, WITH DILATION AND CURETTAGE OF UTERUS	Procedure: HYSTEROSCOPY, WITH DILATION AND CURETTAGE OF UTERUS, Scheduling/ADT, Scheduling/ADT
() XI ROBOTIC ASSISTED LAPAROSCOPIC HYSTERECTOMY W/ BSO	Procedure: XI ROBOTIC ASSISTED LAPAROSCOPIC HYSTERECTOMY W/ BSO, Scheduling/ADT, Scheduling/ADT
() ABDOMINAL HYSTERECTOMY, WITH POSSIBLE SALPINGO-OOPHORECTOMY	Procedure: ABDOMINAL HYSTERECTOMY, WITH POSSIBLE SALPINGO-OOPHORECTOMY, Scheduling/ADT, Scheduling/ADT
() HYSTERECTOMY, TOTAL, ABDOMINAL, LAPAROSCOPIC	Procedure: HYSTERECTOMY, TOTAL, ABDOMINAL, LAPAROSCOPIC, Scheduling/ADT, Scheduling/ADT
() HYSTERECTOMY, ABDOMINAL, LAPAROSCOPIC	Procedure: HYSTERECTOMY, ABDOMINAL, LAPAROSCOPIC, Scheduling/ADT, Scheduling/ADT
() SALPINGO-OOPHORECTOMY, LAPAROSCOPIC	Procedure: SALPINGO-OOPHORECTOMY, LAPAROSCOPIC, Scheduling/ADT, Scheduling/ADT
() EXCISION, MASS	Procedure: EXCISION, MASS, Scheduling/ADT, Scheduling/ADT
() LEEP CONIZATION, CERVIX	Procedure: LEEP CONIZATION, CERVIX, Scheduling/ADT, Scheduling/ADT
() Case request operating room	Scheduling/ADT, Scheduling/ADT

Planned ICU Admission Post-Operatively (Admit to Inpatient Order) (Single Response)

Patients who are having an Inpatient Only Procedure as determined by CMS and patients with prior authorization for Inpatient Care may have an Admit to Inpatient order written pre-operatively.

() Admit to Inpatient	Diagnosis: Admitting Physician: Level of Care: Patient Condition: Bed request comments: Certification: I certify that based on my best clinical judgment and the patient's condition as documented in the HP and progress notes, I expect that the patient will need hospital services for two or more midnights. Pre-op
------------------------	--

Precautions

<input type="checkbox"/> Aspiration precautions	Pre-op
<input type="checkbox"/> Fall precautions	Increased observation level needed: Pre-op
<input type="checkbox"/> Latex precautions	Pre-op
<input type="checkbox"/> Seizure precautions	Increased observation level needed: Pre-op

Nursing

Vital signs

<input checked="" type="checkbox"/> Vital signs - T/P/R/BP	Routine, Per unit protocol, Pre-op
--	------------------------------------

Activity

<input type="checkbox"/> Strict bed rest	Routine, Until discontinued, Starting S, Pre-op
<input type="checkbox"/> Bed rest with bedside commode	Routine, Until discontinued, Starting S Bathroom Privileges: with bedside commode Patient to use bedside commode, Pre-op
<input type="checkbox"/> Bed rest with bathroom privileges	Routine, Until discontinued, Starting S Bathroom Privileges: with bathroom privileges Pre-op
<input type="checkbox"/> Ambulate with assistance	Routine, 3 times daily Specify: with assistance Pre-op
<input type="checkbox"/> Activity as tolerated	Routine, Until discontinued, Starting S Specify: Activity as tolerated Pre-op

Nursing care

<input type="checkbox"/> Obtain labs per anesthesia protocol	Routine, Until discontinued, Starting S, Pre-op
<input type="checkbox"/> Bathe with chlorhexidine	Routine, Once, Pre-op
<input type="checkbox"/> chlorhexidine (HIBICLENS) 4 % liquid	1 application, Topical, once, For 1 Doses, Pre-op Bathe with chlorhexidine 4% (HIBICLENS)
<input type="checkbox"/> Patient education incentive spirometry	Routine, Once Patient/Family: Education for: Incentive spirometry Pre-op
<input type="checkbox"/> Use hover mat for patients with BMI greater than 30	Routine, Until discontinued, Starting S, Pre-op

Diet

<input checked="" type="checkbox"/> NPO	Diet effective now, Starting S NPO: Except Sips of clear liquids Pre-Operative fasting options: Clear Liquid intake is acceptable up to two hours before surgery, Pre-op
<input type="checkbox"/> Diet - Clear Liquids	Diet effective now, Starting S Diet(s): Clear Liquids Other Options: Advance Diet as Tolerated? Liquid Consistency: Fluid Restriction: Foods to Avoid: Clear Liquid intake is acceptable up to two hours before surgery, L&D Pre-Delivery

Consent

<input type="checkbox"/> Complete Consent Form	Routine, Once Consent For: Procedure: Diagnosis/Condition: Physician: Risks, benefits, and alternatives (as outlined by the Texas Medical Disclosure Panel, as appears on Houston Methodist Medical/Surgical Consent forms) were discussed with patient/surrogate? Pre-op
--	---

IV Fluids

Maintenance IV Fluids

<input checked="" type="checkbox"/> lactated Ringer's infusion	125 mL/hr, intravenous, continuous, Pre-op
<input type="checkbox"/> sodium chloride 0.9 % infusion	1,000 mL, intravenous, continuous, Pre-op

Medications

Premanagement Medications

<input type="checkbox"/> acetaminophen (OFIRMEV) injection	1,000 mg, intravenous, for 15 Minutes, once, For 1 Doses, Pre-op IV acetaminophen (Ofirmev) is restricted to use only in OR, PACU, or ICU areas, and for patients that cannot tolerate oral, per tube, or rectal routes of administration. Do you attest that this restriction has been met?
<input type="checkbox"/> ketorolac (TORADOL) IV (Single Response)	Do NOT use in patients with eGFR LESS than 30 mL/min AND/OR patients LESS than 17 years of age. WARNING: Use is contraindicated for treatment of perioperative pain OR in the setting of coronary artery bypass graft (CABG) surgery.

<input type="checkbox"/> For patients ages GREATER than 64 OR weight LESS than 50 kg OR eGFR 30-59 mL/min - ketorolac (TORADOL) injection	15 mg, intravenous, every 6 hours PRN, moderate pain (score 4-6)
<input type="checkbox"/> For patients ages 17-64 AND weight GREATER than or EQUAL to 50 kg AND eGFR at least 60 mL/min - ketorolac (TORADOL) injection	30 mg, intravenous, every 6 hours PRN, moderate pain (score 4-6)
<input type="checkbox"/> pregabalin (LYRICA) capsule	50 mg, oral, once, For 1 Doses, Pre-op Swallow with a sip of water.

Antibiotics (Single Response)

Does your patient have a penicillin allergy?

<input type="checkbox"/> No	
<input type="checkbox"/> cefazolin (ANCEF) IV - For patients LESS than or EQUAL to 120 kg	
<input type="checkbox"/> cefazolin (ANCEF) IV	2 g, intravenous, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> cefazolin (ANCEF) IV - For patients GREATER than 120 kg	
<input type="checkbox"/> cefazolin (ANCEF) IV	3 g, intravenous, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis

Yes
If patient is Penicillin or Beta-Lactam Allergic: choose ONE option from Section 1 and ONE option from Section 2.

<input type="checkbox"/> Section 1 - metroNIDAZole (FLAGYL) IV or clindamycin (CLEOCIN) IV (Single Response)	
<input type="checkbox"/> metronidazole (FLAGYL) IV	500 mg, intravenous, once, For 1 Doses, Pre-op For penicillin or beta-lactam allergic patients. Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> clindamycin (CLEOCIN) IV - Recommended ONLY for patients with high risk for penicillin anaphylaxis that are culture isolate sensitive to Clindamycin.	900 mg, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op For penicillin or beta-lactam allergic patients. Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> Section 2 - levofloxacin (LEVAQUIN) IV or gentamicin (GARAMYCIN) IV (Single Response)	
<input type="checkbox"/> levofloxacin (LEVAQUIN) IV	500 mg, intravenous, once, For 1 Doses, Pre-op For penicillin or beta-lactam allergic patients. Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> gentamicin (GARAMYCIN) IV	1.5 mg/kg, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op For penicillin or beta-lactam allergic patients. Reason for Therapy: Surgical Prophylaxis

Labs Today

COVID-19 Qualitative PCR

<input type="checkbox"/> COVID-19 qualitative PCR - Nasopharyngeal swab	STAT For 1 Occurrences Specimen Source: Nasopharyngeal Swab Is this for pre-procedure or non-PUI assessment? Yes Pre-op
---	--

Hematology/Coagulation

<input type="checkbox"/> CBC with differential	Once, Pre-op
<input type="checkbox"/> Prothrombin time with INR	Once, Pre-op
<input type="checkbox"/> Partial thromboplastin time	Once, Pre-op
<input type="checkbox"/> Type and screen	Once, Pre-op

Chemistry HMM

<input type="checkbox"/> Comprehensive metabolic panel	Once, Pre-op
<input type="checkbox"/> Basic metabolic panel	Once, Pre-op
<input type="checkbox"/> hCG qualitative, serum	Once, Pre-op

<input type="checkbox"/>	hCG quantitative, serum	Once, Pre-op
<input type="checkbox"/>	HIV Ag/Ab combination	Once, Pre-op
<input type="checkbox"/>	Bedside glucose	Routine, Once, Pre-op
<input type="checkbox"/>	hCG qualitative, urine	Once, Pre-op
<input type="checkbox"/>	Urinalysis, automated with microscopy	Once, Pre-op
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Once Specimen Source: Urine Specimen Site: Pre-op

Chemistry HMSL, HMW

<input type="checkbox"/>	Comprehensive metabolic panel	Once, Pre-op
<input type="checkbox"/>	Basic metabolic panel	Once, Pre-op
<input type="checkbox"/>	hCG qualitative, serum	Once, Pre-op
<input type="checkbox"/>	hCG quantitative, serum	Once, Pre-op
<input type="checkbox"/>	Rapid HIV 1 & 2	Once, Pre-op
<input type="checkbox"/>	Bedside glucose	Routine, Once, Pre-op
<input type="checkbox"/>	hCG qualitative, urine	Once, Pre-op
<input type="checkbox"/>	Urinalysis, automated with microscopy	Once, Pre-op
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Once Specimen Source: Urine Specimen Site: Pre-op

Chemistry: HMSTJ, HMTW, HMWB, HMSJ

<input type="checkbox"/>	Comprehensive metabolic panel	Once, Pre-op
<input type="checkbox"/>	Basic metabolic panel	Once, Pre-op
<input type="checkbox"/>	hCG qualitative, serum	Once, Pre-op
<input type="checkbox"/>	hCG quantitative, serum	Once, Pre-op
<input type="checkbox"/>	HIV 1, 2 antibody	Once, Pre-op
<input type="checkbox"/>	Bedside glucose	Routine, Once, Pre-op
<input type="checkbox"/>	hCG qualitative, urine	Once, Pre-op
<input type="checkbox"/>	Urinalysis, automated with microscopy	Once, Pre-op
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Once Specimen Source: Urine Specimen Site: Pre-op

Pre-Op Studies

EKG

<input type="checkbox"/>	ECG Pre/Post Op	Routine, Once Clinical Indications: Interpreting Physician: Pre-op
--------------------------	-----------------	---

X-Ray

<input type="checkbox"/>	Chest 1 Vw	Routine, 1 time imaging For 1
<input type="checkbox"/>	XR Chest 2 Vw	Routine, 1 time imaging For 1 , Pre-op

Consults

For Physician Consult orders use sidebar

Ancillary Consults

<input type="checkbox"/>	Consult to Social Work	Reason for Consult: Pre-op
<input type="checkbox"/>	Consult to Spiritual Care	Reason for consult? Pre-op

