

EPOprostenol (Veletri) (RESTRICTED) [1205]

A calculator is available at formweb.com/houstonmethodist under Drug Information and Clinical Calculators to assist with epoprostenol or treprostinil calculations. To navigate to this site, please open an internet browser and use the web address noted previously.

Nursing

Nursing

<input checked="" type="checkbox"/> EPOprostenol (Veletri) instructions for Nursing:	Routine, Until discontinued, Starting today 1. Do NOT infuse any other IV fluids or medications through Veletri line. 2. Do NOT draw blood from a lumen adjacent to Veletri line. 3. Do NOT STOP Veletri for ANY REASON without first contacting MD who ordered Veletri 4. DO NOT STOP Veletri for CODE without first contacting MD who ordered Veletri. Document any infusion rate changes at appropriate times in the MAR
--	--

Other

IV Fluids

Medications

Medications (Single Response) (Selection Required)

() Continuation of Home Therapy

<input type="checkbox"/> Vital Signs	"And" Linked Panel
<input type="checkbox"/> Vital signs - T/P/R/BP	Routine, Per unit protocol Upon initiation of therapy or dose increase, every 15 minutes x 4, then every 30 minutes x2, then every 4 hours.
<input type="checkbox"/> epoprostenol (VELETRI) straight dose	
<input type="checkbox"/> epoprostenol (VELETRI) in sterile water 100 mL infusion (RESTRICTED)	intravenous, for 24 Hours, daily at 1400, Starting today DO NOT STOP Veletri for ANY REASON without first contacting MD who ordered Veletri. For CENTRAL LINE administration Infusion Pump Rate (mL per 24 hours): Dosing Weight: (in kg): Dose: (in ng/kg/min):
<input type="checkbox"/> Pharmacy Consult	
<input type="checkbox"/> Pharmacy consult to review pulmonary arterial hypertension (PAH) infusions	STAT, Until discontinued, Starting today

() Therapy Titration

<input type="checkbox"/> Vital Signs	"And" Linked Panel
<input type="checkbox"/> Vital signs - T/P/R/BP	Routine, Per unit protocol Upon initiation of therapy or dose increase, every 15 minutes x 4, then every 30 minutes x2, then every 4 hours.
<input type="checkbox"/> epoprostenol (VELETRI) straight dose	
<input type="checkbox"/> epoprostenol (VELETRI) in sterile water 100 mL infusion (RESTRICTED)	intravenous, for 24 Hours, daily at 1400 DO NOT STOP Veletri for ANY REASON without first contacting MD who ordered Veletri. For CENTRAL LINE administration Titration Instructions: Initiate epoprostenol (Veletri) as ordered. {Increase/Decrease:34622} by {.:34620} mL/24hours every {.:34621} hours {Maximum/Minimum:34623} infusion rate of ***mL/24hours Infusion Pump Rate (mL per 24 hours): Dosing Weight: (in kg): Dose: (in ng/kg/min):
<input type="checkbox"/> Pharmacy Consult	

Pharmacy consult to review pulmonary
arterial hypertension (PAH) infusions

STAT, Until discontinued, Starting today

Other