

<input type="checkbox"/> Complete Consent For Bronchoscopy with biopsy, BAL studies, dilation or stent removal	Routine, Once Consent For: Bronchoscopy with biopsy, BAL studies, dilation or stent removal Procedure: Diagnosis/Condition: Physician: Risks, benefits, and alternatives (as outlined by the Texas Medical Disclosure Panel, as appears on Houston Methodist Medical/Surgical Consent forms) were discussed with patient/surrogate? Pre-op
<input type="checkbox"/> Complete consent for Fiducial marker placement	Routine, Once Procedure: Diagnosis/Condition: Physician: Risks, benefits, and alternatives (as outlined by the Texas Medical Disclosure Panel, as appears on Houston Methodist Medical/Surgical Consent forms) were discussed with patient/surrogate? Pre-op
<input type="checkbox"/> Complete consent for Bronchial Thermoplasty	Routine, Once Procedure: Diagnosis/Condition: Physician: Risks, benefits, and alternatives (as outlined by the Texas Medical Disclosure Panel, as appears on Houston Methodist Medical/Surgical Consent forms) were discussed with patient/surrogate? Pre-op
<input type="checkbox"/> Complete consent for	Routine, Once Procedure: Diagnosis/Condition: Physician: Risks, benefits, and alternatives (as outlined by the Texas Medical Disclosure Panel, as appears on Houston Methodist Medical/Surgical Consent forms) were discussed with patient/surrogate? Pre-op

Notify

<input type="checkbox"/> Notify Physician upon patient arrival to bronchoscopy suite	Routine, Until discontinued, Starting S, Pre-op
<input type="checkbox"/> Notify Physician if O2 Sat less than 90%	Routine, Until discontinued, Starting S, Pre-op

Diet

<input type="checkbox"/> NPO - except meds with sip of water after midnight	Diet effective midnight, Starting S+1 at 12:01 AM NPO: Except meds Pre-Operative fasting options: with sip of water after midnight, Pre-op
<input type="checkbox"/> NPO - except meds with sip of water after breakfast	Diet effective ____ NPO: Except meds Pre-Operative fasting options: with sip of water after breakfast, Pre-op
<input type="checkbox"/> NPO	Conditional Frequency NPO: Pre-Operative fasting options: 5 hours prior to procedure, Pre-op

IV Fluids

<input type="checkbox"/> lactated ringers bolus	intravenous, once, For 1 Doses, Pre-op
---	--

Peripheral IV Access

<input checked="" type="checkbox"/>	Initiate and maintain IV	
<input type="checkbox"/>	Insert peripheral IV	Routine, Once
<input type="checkbox"/>	sodium chloride 0.9 % flush 10 mL	10 mL, intravenous, every 12 hours scheduled
<input type="checkbox"/>	sodium chloride 0.9 % flush 10 mL	10 mL, intravenous, PRN, line care

Medications

Pre-Bronchoscopy Medication

30 minutes prior to bronchoscopy.

<input type="checkbox"/>	atropine injection	0.4 mg, intramuscular, once, For 1 Doses, Pre-op 30 minutes prior to bronchoscopy.
<input type="checkbox"/>	promethazine (PHENERGAN) injection	12.5 mg, intramuscular, once PRN, nausea, vomiting, Pre-op 30 minutes prior to bronchoscopy. For Deep IM Administration.
<input type="checkbox"/>	glycopyrrolate (ROBINUL) injection	0.2 mg, intramuscular, once, For 1 Doses, Pre-op
<input type="checkbox"/>	lidocaine (XYLOCAINE) 2 % jelly	Topical, once, For 1 Doses, Pre-op
<input type="checkbox"/>	ampicillin (OMNIPEN) IV	2 g, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op Start 30 minutes prior to bronchoscopy Reason for Therapy:
<input type="checkbox"/>	clindamycin (CLEOCIN) IV	300 mg, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op Start 30 minutes prior to Bronchoscopy. Reason for Therapy:
<input type="checkbox"/>	albuterol (PROVENTIL) nebulizer solution	2.5 mg, nebulization, once, For 1 Doses, Pre-op Administer during spirometry Aerosol Delivery Device:
<input type="checkbox"/>	methylPREDNISolone sodium succinate (Solu-MEDROL) injection	125 mg, intravenous, once, For 1 Doses, Pre-op Administer after spirometry

Intra Bronchoscopy Orders

<input checked="" type="checkbox"/>	lidocaine (XYLOCAINE) 40 mg/mL (4 %) inhalation	6 mL, nebulization, once, For 1 Doses, Pre-op Administer immediately before procedure
<input type="checkbox"/>	MIDAZolam (VERSED) injection	intravenous, once, For 1 Doses, Pre-op Indication(s):
<input type="checkbox"/>	fentaNYL (SUBLIMAZE) injection	intravenous, once PRN, severe pain (score 7-10), Pre-op

Bronchoscopy Kit Medications

<input type="checkbox"/>	sodium chloride (NS) 0.9 % irrigation solution	1,000 mL, Topical, once PRN, bronchoscopy, Pre-op
<input type="checkbox"/>	lidocaine (XYLOCAINE) 4 % (40 mg/mL) external solution	Topical, once PRN, mild pain (score 1-3), bronchoscopy, Pre-op
<input type="checkbox"/>	epINEPHrine (ADRENALIN) 1 mg/mL (1 mL) injection	1 mg, Topical, once PRN, anaphylaxis, bronchoscopy, Pre-op
<input type="checkbox"/>	lidocaine HCl (XYLOCAINE) 2 % solution	15 mL, Topical, once PRN, bronchoscopy, Pre-op
<input type="checkbox"/>	sodium chloride 0.9 % injection	20 mL, Topical, once PRN, line care, bronchoscopy, Pre-op

VTE

Labs

COVID-19 Qualitative PCR

<input type="checkbox"/>	COVID-19 qualitative PCR - Nasopharyngeal swab	STAT For 1 Occurrences Specimen Source: Nasopharyngeal Swab Is this for pre-procedure or non-PUI assessment? Yes Pre-op
--------------------------	--	--

Labs STAT

<input type="checkbox"/>	CBC and differential	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Prothrombin time with INR	STAT For 1 Occurrences, Pre-op

<input type="checkbox"/> Partial thromboplastin time	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Basic metabolic panel	STAT For 1 Occurrences, Pre-op

Cardiology

Diagnostic Imaging

X-Ray

<input type="checkbox"/> Chest 1 Vw Portable	Routine, 1 time imaging For 1 , Pre-op
--	--

Other Diagnostic Studies

Respiratory

Respiratory

<input checked="" type="checkbox"/> Oxygen therapy	Routine, Continuous Device: Nasal Cannula Rate in liters per minute: Rate in tenths of a liter per minute: O2 %: Titrate to keep O2 Sat Above: 92% Indications for O2 therapy: 4 to 6 liters per minute, Pre-op
<input type="checkbox"/> Bedside spirometry	Routine, Once With bronchodilators, Pre-op

Rehab

Consults

For Physician Consult orders use sidebar

Additional Orders