

General

Pre Anesthesia Testing Orders

The ambulatory orders in this section are specifically for Pre Anesthesia Testing. For additional PAT orders, please use 'Future Status' and 'Pre-Admission Testing Phase of Care'

[ ] Other Diagnostic Studies

- [ ] ECG Pre/Post Op Routine, Ancillary Performed, Status: Future, Expires: S+365, Pre-Admission Testing
- [ ] Pv carotid duplex Status: Future, Expires: S+365, Routine, Clinic Performed
- [ ] Us vein mapping lower extremity Status: Future, Expires: S+365, Routine, Clinic Performed

[ ] Respiratory

- [ ] Spirometry pre & post w/ bronchodilator Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
- [ ] Body Plethysmographic lung volumes Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
- [ ] Diffusion capacity Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
- [ ] Spirometry Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?

[ ] Laboratory: Preoperative Testing Labs - All Facilities

- [ ] COVID-19 qualitative PCR - Nasal Swab Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Nasal Swab Is this for pre-procedure or non-PUI assessment? Yes Pre-Admission Testing
- [ ] CBC with platelet and differential Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
- [ ] Comprehensive metabolic panel Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
- [ ] Basic metabolic panel Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
- [ ] Prothrombin time with INR Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
- [ ] Partial thromboplastin time Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
- [ ] Hepatic function panel Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
- [ ] Platelet function analysis Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
- [ ] Hemoglobin A1c Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
- [ ] Type and screen
  - [ ] Type and screen Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
  - [ ] ABO and Rh confirmation Once, Blood Bank Confirmation
- [ ] hCG qualitative, serum screen Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
- [ ] POC pregnancy, urine Routine, Point Of Care, Pre-Admission Testing
- [ ] Urinalysis, automated with microscopy Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

[ ] Laboratory: Additional Labs - HMWB, HMSJ, HMSTJ, HMTW

- [ ] Urinalysis screen and microscopy, with reflex to culture Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
- [ ] CBC hemogram Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

<input type="checkbox"/>	HIV 1, 2 antibody	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Syphilis total antibody	Routine, Status: Future, Expires: S+365, Clinic Collect
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA screen culture	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional Labs - HMSL, HMW	
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Rapid HIV 1 & 2	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Syphilis total antibody	Routine, Status: Future, Expires: S+365, Clinic Collect
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA screen culture	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional Labs - HMM	
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	HIV Ag/Ab combination	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Syphilis total antibody	Routine, Status: Future, Expires: S+365, Clinic Collect
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA screen culture	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Laboratory: Additional for Bariatric patients		
<input type="checkbox"/>	Lipid panel	Routine, Status: Future, Expires: S+365, Clinic Collect Has the patient been fasting for 8 hours or more? Pre-Admission Testing
<input type="checkbox"/>	hCG qualitative, serum screen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Total iron binding capacity	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4, free	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Hemoglobin A1c	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Parathyroid hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	CBC with platelet and differential	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prothrombin time with INR	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Partial thromboplastin time, activated	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin A level, plasma or serum	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin B12 level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Copper level, serum	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Folate level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin B1 level, whole blood	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Zinc level, serum	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

**Case Request (Single Response)**

<input type="checkbox"/>	CREATION, AV FISTULA	Panel 1 CREATION, AV FISTULA, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/>	CREATION, AV FISTULA, UPPER EXTREMITY, DISTAL	Panel 1 CREATION, AV FISTULA, UPPER EXTREMITY, DISTAL, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/>	CREATION, AV FISTULA, USING GRAFT	Panel 1 CREATION, AV FISTULA, USING GRAFT, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/>	ARTERIOGRAM WITH ANGIOPLASTY, IF INDICATED	Panel 1 ARTERIOGRAM WITH ANGIOPLASTY, IF INDICATED, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/>	FISTULOGRAPHY, DIALYSIS SHUNT, AND DECLOTTING	Panel 1 FISTULOGRAPHY, DIALYSIS SHUNT, AND DECLOTTING, Scheduling/ADT, Scheduling/ADT

<input type="checkbox"/> ENDARTERECTOMY, CAROTID	Panel 1 ENDARTERECTOMY, CAROTID, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/> ENDARTERECTOMY, FEMORAL	Panel 1 ENDARTERECTOMY, FEMORAL, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/> REVISION, ARTERIOVENOUS GRAFT, WITH ANGIOGRAPHY	Panel 1 REVISION, ARTERIOVENOUS GRAFT, WITH ANGIOGRAPHY, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/> VENOGRAM, EXTREMITY	Panel 1 VENOGRAM, EXTREMITY, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/> LOWER EXTREMITY ANGIOGRAM,POSSIBLE ANGIOPLASTY,POSSIBLE STENT	Panel 1 LOWER EXTREMITY ANGIOGRAM,POSSIBLE ANGIOPLASTY,POSSIBLE STENT, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/> INSERTION, CATHETER, CENTRAL VENOUS, TUNNELED, FOR HEMODIALYSIS	Panel 1 INSERTION, CATHETER, CENTRAL VENOUS, TUNNELED, FOR HEMODIALYSIS, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/> INSERTION, CATHETER, DIALYSIS, PERITONEAL, LAPAROSCOPIC	Panel 1 INSERTION, CATHETER, DIALYSIS, PERITONEAL, LAPAROSCOPIC, Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/> Case request operating room	Scheduling/ADT, Scheduling/ADT
<input type="checkbox"/> Case request cath lab	Scheduling/ADT, Scheduling/ADT

### Planned ICU Admission Post-Operatively (Admit to Inpatient Order) (Single Response)

Patients who are having an Inpatient Only Procedure as determined by CMS and patients with prior authorization for Inpatient Care may have an Admit to Inpatient order written pre-operatively.

<input type="checkbox"/> Admit to Inpatient	Admitting Physician: Level of Care: Patient Condition: Bed request comments: Certification: I certify that based on my best clinical judgment and the patient's condition as documented in the HP and progress notes, I expect that the patient will need hospital services for two or more midnights. Pre-op
---	--

## Nursing

### Nursing Care

<input type="checkbox"/> Complete consent for	Routine, Once Procedure: Diagnosis/Condition: Physician: Risks, benefits, and alternatives (as outlined by the Texas Medical Disclosure Panel, as appears on Houston Methodist Medical/Surgical Consent forms) were discussed with patient/surrogate? Pre-op
<input type="checkbox"/> Height and weight	Routine, Once For 1 Occurrences, Pre-op

### Nursing Communication

<input type="checkbox"/> If unable to draw blood peripherally, may use dialysis catheter.	
<input type="checkbox"/> If unable to draw blood peripherally, may use dialysis catheter.	Routine, Until discontinued, Starting S If dialysis catheter is used for IV access, flush used port with Heparin per protocol., Pre-op
<input type="checkbox"/> HEParin (porcine) injection	2,000 Units, intravenous, once, For 1 Doses, Pre-op Pack Port 1
<input type="checkbox"/> HEParin (porcine) injection	2,000 Units, intravenous, once, For 1 Doses, Pre-op Pack Port 2
<input type="checkbox"/> No SCD's intraop	Routine, Until discontinued, Starting S, Pre-op

### Diet and Fluids

<input type="checkbox"/> NPO	Diet effective now, Starting S NPO: Pre-Operative fasting options: Pre-op
<input type="checkbox"/> dextrose 5%-0.45% sodium chloride infusion	intravenous, continuous, Pre-op Start at midnight.
<input type="checkbox"/> dextrose 5 % and sodium chloride 0.45 % with potassium chloride 20 mEq/L infusion	intravenous, continuous, Pre-op Start at midnight.
<input type="checkbox"/> dextrose 5 % and sodium chloride 0.45 % with potassium chloride 20 mEq/L infusion	intravenous, continuous, Pre-op Start at midnight.
<input type="checkbox"/> sodium chloride 0.9 % infusion	intravenous, continuous, Pre-op Start at midnight.

## IV Fluids

### Post-Procedure Hydration (Single Response)

<input type="checkbox"/> Inpatient (Single Response)	
<input type="checkbox"/> Patients with EF LESS than 40% or with evidence of fluid overload	0.5 mL/kg/hr, intravenous, continuous Infuse for 6 hours Post-Procedure
<input type="checkbox"/> Patients with EF GREATER than 40% or no evidence of fluid overload	1 mL/kg/hr, intravenous, continuous Infuse for 6 hours Post-Procedure
<input type="checkbox"/> Outpatient (Single Response)	
<input type="checkbox"/> Patients with EF LESS than 40% or with evidence of fluid overload	0.5 mL/kg/hr, intravenous, continuous Infuse for 6 hours Post-Procedure or until discharge, whichever comes first.
<input type="checkbox"/> Patients with EF GREATER than 40% or no evidence of fluid overload	1 mL/kg/hr, intravenous, continuous Infuse for 6 hours Post-Procedure or until discharge, whichever comes first.

### IV Fluids (Single Response)

<input type="checkbox"/> sodium chloride 0.9 % infusion	75 mL/hr, intravenous, continuous
<input type="checkbox"/> lactated Ringer's infusion	75 mL/hr, intravenous, continuous
<input type="checkbox"/> dextrose 5 % and sodium chloride 0.45 % infusion	75 mL/hr, intravenous, continuous
<input type="checkbox"/> dextrose 5 % and sodium chloride 0.45 % with potassium chloride 20 mEq/L infusion	75 mL/hr, intravenous, continuous
<input type="checkbox"/> sodium chloride 0.45 % infusion	75 mL/hr, intravenous, continuous
<input type="checkbox"/> sodium chloride 0.45 % 1,000 mL with sodium bicarbonate 75 mEq/L infusion	75 mL/hr, intravenous, continuous

## Medications

### PreOp Antibiotics: For Patients LESS than or EQUAL to 120 kg (Single Response)

<input checked="" type="checkbox"/> ceFAZolin (ANCEF) IV - For Patients LESS than or EQUAL to 120 kg	2 g, intravenous, once, For 1 Doses, Pre-op On call to operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> If Beta-Lactam Allergic: vancomycin + levofloxacin (LEVAQUIN) IV	
<input type="checkbox"/> vancomycin (VANCOCIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Pre-op On call to operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> levofloxacin (LEVAQUIN) IV solution	500 mg, intravenous, once, For 1 Doses, Pre-op On call to operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> If MRSA Suspected - ceFAZolin (ANCEF) and vancomycin IV - For Patients LESS than or EQUAL to 120 kg	
<input type="checkbox"/> ceFAZolin (ANCEF) IV	2 g, intravenous, once, For 1 Doses, Pre-op On call to the operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis

<input type="checkbox"/> vancomycin (VANCOCIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Pre-op On call to the operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
---	---

**PreOp Antibiotics: For Patients GREATER than 120 kg (Single Response)**

(X) ceFAZolin (ANCEF) IV - For Patients GREATER than 120 kg	3 g, intravenous, once, For 1 Doses, Pre-op On call to operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
( ) If Beta-Lactam Allergic: vancomycin + levofloxacin (LEVAQUIN) IV	<b>"And" Linked Panel</b>
<input type="checkbox"/> vancomycin (VANCOCIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Pre-op On call to operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> levofloxacin (LEVAQUIN) IV solution	500 mg, intravenous, once, For 1 Doses, Pre-op On call to operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
( ) If MRSA Suspected - ceFAZolin (ANCEF) and vancomycin IV - For Patients GREATER than 120 kg	<b>"And" Linked Panel</b>
<input type="checkbox"/> ceFAZolin (ANCEF) IV	3 g, intravenous, once, For 1 Doses, Pre-op On call to the operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> vancomycin (VANCOCIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Pre-op On call to the operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis

**IntraOp Antibiotics: For Patients LESS than or EQUAL to 120 kg (Single Response)**

(X) ceFAZolin (ANCEF) IV - For Patients LESS than or EQUAL to 120 kg	2 g, intravenous, once, For 1 Doses, Intra-op On call to operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
( ) If Beta-Lactam Allergic: vancomycin + levofloxacin (LEVAQUIN) IV	<b>"And" Linked Panel</b>
<input type="checkbox"/> vancomycin (VANCOCIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Intra-op On call to operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> levofloxacin (LEVAQUIN) IV solution	500 mg, intravenous, once, For 1 Doses, Intra-op On call to operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
( ) If MRSA Suspected - ceFAZolin (ANCEF) and vancomycin IV - For Patients LESS than or EQUAL to 120 kg	<b>"And" Linked Panel</b>
<input type="checkbox"/> ceFAZolin (ANCEF) IV	2 g, intravenous, once, For 1 Doses, Intra-op On call to the operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> vancomycin (VANCOCIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Intra-op On call to the operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis

**IntraOp Antibiotics: For Patients GREATER than 120 kg (Single Response)**

(X) ceFAZolin (ANCEF) IV - For Patients GREATER than 120 kg	3 g, intravenous, once, For 1 Doses, Intra-op On call to operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
( ) If Beta-Lactam Allergic: vancomycin + levofloxacin (LEVAQUIN) IV	<b>"And" Linked Panel</b>

<input type="checkbox"/>	vancomycin (VANCOCIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Intra-op On call to operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/>	levofloxacin (LEVAQUIN) IV solution	500 mg, intravenous, once, For 1 Doses, Intra-op On call to operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
<b>"And" Linked Panel</b>		
( ) If MRSA Suspected - ceFAZolin (ANCEF) and vancomycin IV - For Patients GREATER than 120 kg		
<input type="checkbox"/>	ceFAZolin (ANCEF) IV	3 g, intravenous, once, For 1 Doses, Intra-op On call to the operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/>	vancomycin (VANCOCIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Intra-op On call to the operating room. Administer 1 hour prior to the opening incision. Reason for Therapy: Surgical Prophylaxis

### Contrast Allergy (Single Response)

( )	methylPREDNISolone (MEDROL) tablet	32 mg, oral, daily, For 2 Doses, Pre-op Administer 12 hours and 2 hours PRIOR to surgery.
( )	methylPREDNISolone sodium succinate (Solu-MEDROL) injection	40 mg, intravenous, every 4 hours, Pre-op Until surgery.
( )	diphenhydrAMINE (BENADRYL) injection	50 mg, intravenous, once, For 1 Doses, Pre-op Administer 1 hour PRIOR to surgery.

## VTE

## Labs

### Labs

<input type="checkbox"/>	Type and screen	
<input type="checkbox"/>	Type and screen	Once, Pre-op
<input type="checkbox"/>	ABO and Rh confirmation	Once, Blood Bank Confirmation
<input type="checkbox"/>	Basic metabolic panel	Once, Pre-op
<input type="checkbox"/>	CBC with platelet and differential	Once, Pre-op
<input type="checkbox"/>	Prothrombin time with INR	Once, Pre-op
<input type="checkbox"/>	Partial thromboplastin time	Once, Pre-op
<input type="checkbox"/>	Nursing communication: i-STAT	Routine, Once For 1 Occurrences, Pre-op
<input type="checkbox"/>	hCG qualitative, urine screen	Once, Pre-op
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Once For 1 Occurrences Specimen Source: Urine Specimen Site: Pre-op
<input checked="" type="checkbox"/>	MRSA screen culture	Once, Nares, Pre-op
<input type="checkbox"/>	Syphilis treponema screen with RPR confirmation (reverse algorithm)	Once, Pre-op

## Blood Products

### Lab Draw

<input checked="" type="checkbox"/>	Type and screen	
<input checked="" type="checkbox"/>	Type and screen	Once, Pre-op
<input checked="" type="checkbox"/>	ABO and Rh confirmation	Once, Blood Bank Confirmation

### Blood Products

<input type="checkbox"/>	Red Blood Cells	
<input type="checkbox"/>	Prepare RBC	Routine Transfusion Indications: Transfusion date: Blood Products

<input type="checkbox"/> Transfuse RBC	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
<input type="checkbox"/> Platelets	
<input type="checkbox"/> Prepare platelet pheresis	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse platelet pheresis	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
<input type="checkbox"/> Fresh Frozen Plasma	
<input type="checkbox"/> Prepare fresh frozen plasma	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse fresh frozen plasma	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
<input type="checkbox"/> Cryoprecipitate	
<input type="checkbox"/> Prepare cryoprecipitate	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse cryoprecipitate	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood

## Cardiology

### Testing

<input type="checkbox"/> XR Chest 1 Vw Portable	Routine, 1 time imaging For 1 Occurrences
<input type="checkbox"/> XR Chest 2 Vw	Routine, 1 time imaging For 1 Occurrences, Pre-op
<input type="checkbox"/> ECG 12 lead	Routine, Once, Starting S at 6:00 AM For 1 Occurrences Clinical Indications: Pre-Op Clearance Interpreting Physician: Pre-op

## Imaging

## Other Studies

## Respiratory

## Rehab

## Consults

For Physician Consult orders use sidebar

## Additional Orders