

General

Pre Anesthesia Testing Orders

The ambulatory orders in this section are specifically for Pre Anesthesia Testing. For additional PAT orders, please use 'Future Status' and 'Pre-Admission Testing Phase of Care'

<input type="checkbox"/> Other Diagnostic Studies	
<input type="checkbox"/> ECG Pre/Post Op	Routine, Ancillary Performed, Status: Future, Expires: S+365, Pre-Admission Testing
<input type="checkbox"/> Pv carotid duplex	Status: Future, Expires: S+365, Routine, Clinic Performed
<input type="checkbox"/> Us vein mapping lower extremity	Status: Future, Expires: S+365, Routine, Clinic Performed
<input type="checkbox"/> Us duplex venous lower extremity	Status: Future, Expires: S+365, Routine, Clinic Performed
<input type="checkbox"/> Respiratory	
<input type="checkbox"/> Spirometry pre & post w/ bronchodilator	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Body Plethysmographic lung volumes	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Diffusion capacity	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Spirometry	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Laboratory: Preoperative Testing Labs - All Facilities	
<input type="checkbox"/> COVID-19 qualitative RT-PCR - Nasal Swab	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Nasal Swab Is this for pre-procedure or non-PUI assessment? Yes Pre-Admission Testing
<input type="checkbox"/> CBC with platelet and differential	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Comprehensive metabolic panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Basic metabolic panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Prothrombin time with INR	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Partial thromboplastin time	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Hepatic function panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Platelet function analysis	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Hemoglobin A1c	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Type and screen	
<input type="checkbox"/> Type and screen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> ABO and Rh confirmation	Once, Blood Bank Confirmation
<input type="checkbox"/> hCG qualitative, serum screen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> POC pregnancy, urine	Routine, Point Of Care, Pre-Admission Testing
<input type="checkbox"/> Urinalysis, automated with microscopy	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Laboratory: Additional Labs - HMWB, HMCL, HMTW	
<input type="checkbox"/> Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/> CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

<input type="checkbox"/>	HIV 1, 2 antibody	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Syphilis treponema screen with RPR confirmation (reverse algorithm)	Routine, Status: Future, Expires: S+365, Clinic Collect
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA PCR	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares, Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional Labs - HMSL, HMW	
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Rapid HIV 1 & 2	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Syphilis treponema screen with RPR confirmation (reverse algorithm)	Routine, Status: Future, Expires: S+365, Clinic Collect
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA PCR	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares, Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional Labs - HMM, HMSJ	
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	HIV Ag/Ab combination	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Syphilis treponema screen with RPR confirmation (reverse algorithm)	Routine, Status: Future, Expires: S+365, Clinic Collect
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

Admit to Inpatient

Admitting Physician:

Level of Care:

Patient Condition:

Bed request comments:

Certification: I certify that based on my best clinical judgment and the patient's condition as documented in the HP and progress notes, I expect that the patient will need hospital services for two or more midnights.

Pre-op

Isolation Status

Airborne isolation status

Airborne isolation status

Details

Mycobacterium tuberculosis by PCR - If you suspect Tuberculosis, please order this test for rapid diagnostics.

Once, Sputum, Pre-op

Contact isolation status

Details

Droplet isolation status

Details

Enteric isolation status

Details

Precautions

Aspiration precautions

Pre-op

Fall precautions

Increased observation level needed:

Pre-op

Latex precautions

Pre-op

Seizure precautions

Increased observation level needed:

Pre-op

Nursing

Vital Signs

Vital signs - T/P/R/BP (per unit protocol)

Routine, Per unit protocol, Pre-op

Nursing

Place/Maintain sequential compression device continuous

Routine, Continuous, Pre-op

Place antiembolic stockings

Routine, Once, Pre-op

Confirm NPO Status

Routine, Until discontinued, Starting S, Pre-op

Pulse oximetry check

Routine, Daily

Current FIO2 or Room Air:

On arrival to Pre-Op (Day Surgery), Pre-op

No anticoagulants INcluding UNfractionated heparin

Routine, Until discontinued, Starting S

Reason for "No" order:

Pre-op

No anti-platelet agents INcluding aspirin

Routine, Until discontinued, Starting S

Reason for "No" order:

Pre-op

Notify

Notify Physician if current oral intake status could potentially delay procedure start time

Routine, Until discontinued, Starting S, if current oral intake status could potentially delay procedure start time, Pre-op

Consent

<input checked="" type="checkbox"/> Complete Consent Form	Routine, Once Consent For: Procedure: Diagnosis/Condition: Physician: Risks, benefits, and alternatives (as outlined by the Texas Medical Disclosure Panel, as appears on Houston Methodist Medical/Surgical Consent forms) were discussed with patient/surrogate? Pre-op
---	---

Diet

<input type="checkbox"/> NPO	Diet effective now, Starting S NPO: Pre-Operative fasting options: Pre-op
<input checked="" type="checkbox"/> NPO-After Midnight	Diet effective midnight, Starting S+1 at 12:01 AM NPO: Pre-Operative fasting options: Pre-op
<input type="checkbox"/> NPO-Except meds	Diet effective now, Starting S NPO: Except meds Pre-Operative fasting options: Pre-op
<input type="checkbox"/> NPO after midnight except Meds	Diet effective midnight, Starting S+1 at 12:01 AM NPO: Except meds Pre-Operative fasting options: Pre-op

IV Fluids

Insert and Maintain IV

<input type="checkbox"/> Initiate and maintain IV	
<input type="checkbox"/> Insert peripheral IV	Routine, Once
<input type="checkbox"/> sodium chloride 0.9 % flush	10 mL, intravenous, every 12 hours scheduled
<input type="checkbox"/> sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care

IV Fluids (Single Response)

<input type="checkbox"/> lactated Ringer's infusion	intravenous, continuous, Pre-op
<input type="checkbox"/> sodium chloride 0.9 % infusion	intravenous, continuous, Pre-op
<input type="checkbox"/> sodium chloride 0.9 % with potassium chloride 20 mEq/L infusion	intravenous, continuous, Pre-op
<input type="checkbox"/> dextrose 5 % and sodium chloride 0.45 % with potassium chloride 20 mEq/L infusion	intravenous, continuous, Pre-op

Medications

Peri-Operative Prophylaxis: For Patients LESS than or EQUAL to 120 kg

<input type="checkbox"/> ampicillin-sulbactam (UNASYN) IV	3 g, intravenous, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> ampicillin IV	2 g, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> ceFAZolin (ANCEF) IV - For patients LESS than or EQUAL to 120 kg	2 g, intravenous, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> clindamycin (CLEOCIN) IV	900 mg, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> dexamethasone (DECADRON) IV	10 mg, intravenous, once, For 1 Doses, Pre-op
<input type="checkbox"/> levofloxacin (LEVAQUIN) IV	750 mg, intravenous, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis

<input type="checkbox"/>	metronidazole (FLAGYL) IV	500 mg, intravenous, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/>	vancomycin (VANCOCIN) IVPB	15 mg/kg, intravenous, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis

Peri-Operative Prophylaxis: For Patients GREATER than 120 kg

<input type="checkbox"/>	ampicillin-sulbactam (UNASYN) IV	3 g, intravenous, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/>	ampicillin IV	2 g, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/>	ceFAZolin (ANCEF) IV - For Patients GREATER than 120 kg	3 g, intravenous, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis Surgical Prophylaxis:
<input type="checkbox"/>	clindamycin (CLEOCIN) IV	900 mg, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/>	dexamethasone (DECADRON) IV	10 mg, intravenous, once, For 1 Doses, Pre-op
<input type="checkbox"/>	levofloxacin (LEVAQUIN) IV	750 mg, intravenous, once, For 1 Doses, Pre-op When criteria are met, this medication will be automatically converted to PO per policy. To be called prior to conversion and opt-out of the automatic conversion, select the button below: Reason for Therapy: Surgical Prophylaxis Surgical Prophylaxis:
<input type="checkbox"/>	metronidazole (FLAGYL) IV	500 mg, intravenous, once, For 1 Doses, Pre-op When criteria are met, this medication will be automatically converted to PO per policy. To be called prior to conversion and opt-out of the automatic conversion, select the button below: Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/>	vancomycin (VANCOCIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Pre-op Reason for Therapy: Surgical Prophylaxis Surgical Prophylaxis:

Miscellaneous Medications

<input type="checkbox"/>	oxymetazoline (AFRIN) 0.05 % nasal spray	2 spray, Each Nare, 30 min pre-op, Pre-op Instill 2 sprays per nostril(s) every 5 minutes starting 30 minutes prior to procedure. For sinus cases, nasal surgery and septoplasty
<input type="checkbox"/>	fluticasone propionate (FLONASE) 50 mcg/actuation nasal spray	2 spray, Each Nare, 30 min pre-op, Pre-op
<input type="checkbox"/>	lidocaine (XYLOCAINE) 40 mg/mL (4 %) nebulized inhalation	4 mL, inhalation, once, For 1 Doses, Pre-op Give by inhalation 30 minutes PRIOR to surgery.

VTE

Labs

COVID-19 Qualitative PCR

<input type="checkbox"/>	COVID-19 qualitative RT-PCR - Nasal Swab	STAT For 1 Occurrences Specimen Source: Nasal Swab Is this for pre-procedure or non-PUI assessment? Yes Pre-op
--------------------------	--	---

Laboratory

<input checked="" type="checkbox"/>	Type and screen	
<input checked="" type="checkbox"/>	Type and screen	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/>	ABO and Rh confirmation	Once, Blood Bank Confirmation
<input type="checkbox"/>	CBC and differential	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Partial thromboplastin time	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Prothrombin time with INR	STAT For 1 Occurrences, Pre-op

<input type="checkbox"/>	Platelet function P2Y12	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Platelet function analysis	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Glucose level	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Basic metabolic panel	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Comprehensive metabolic panel	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Bedside Glucose and Notify (Selection Required)	"And" Linked Panel
<input type="checkbox"/>	Bedside glucose	Routine, Once, Pre-op
<input type="checkbox"/>	Notify Physician of bedside blood glucose LESS than 70 mg/dL and GREATER than 180 mg/dL	Routine, Until discontinued, Starting S, Pre-op
<input type="checkbox"/>	Calcium	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Magnesium	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Phosphorus	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	hCG qualitative, serum screen	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Pregnancy, urine	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	STAT For 1 Occurrences Specimen Source: Urine Specimen Site: Pre-op

Cardiology

Cardiology

<input type="checkbox"/>	ECG Pre/Post Op	Routine, Once Clinical Indications: Interpreting Physician: Pre-op
--------------------------	-----------------	---

Imaging

X-ray

<input type="checkbox"/>	Chest 2 Vw	Routine, 1 time imaging, Starting S at 1:00 AM For 1 , Pre-op
<input type="checkbox"/>	Chest 1 Vw Portable	Routine, 1 time imaging, Starting S at 1:00 AM For 1 , Pre-op

Other Studies

Respiratory

Respiratory

<input type="checkbox"/>	Oxygen therapy nasal cannula 2 Lpm	Routine, Continuous Device: Nasal Cannula Rate in liters per minute: 2 Lpm Rate in tenths of a liter per minute: O2 %: Titrate to keep O2 Sat Above: 90% Indications for O2 therapy: Device 2: Device 3: Indications for O2 therapy: Pre-op
--------------------------	------------------------------------	---

Rehab

Consults

Lab Draw

<input checked="" type="checkbox"/>	Type and screen	
<input checked="" type="checkbox"/>	Type and screen	Once, Pre-op
<input checked="" type="checkbox"/>	ABO and Rh confirmation	Once, Blood Bank Confirmation

Blood Products

<input type="checkbox"/> Red Blood Cells	
<input type="checkbox"/> Prepare RBC	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse RBC	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
<input type="checkbox"/> Platelets	
<input type="checkbox"/> Prepare platelet pheresis	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse platelet pheresis	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
<input type="checkbox"/> Fresh Frozen Plasma	
<input type="checkbox"/> Prepare fresh frozen plasma	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse fresh frozen plasma	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
<input type="checkbox"/> Cryoprecipitate	
<input type="checkbox"/> Prepare cryoprecipitate	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse cryoprecipitate	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood

Additional Orders