

General

Pre Anesthesia Testing Orders

The ambulatory orders in this section are specifically for Pre Anesthesia Testing. For additional PAT orders, please use 'Future Status' and 'Pre-Admission Testing Phase of Care'

[] Other Diagnostic Studies

<input type="checkbox"/> ECG Pre/Post Op	Routine, Ancillary Performed, Status: Future, Expires: S+365, Pre-Admission Testing
<input type="checkbox"/> Pv carotid duplex	Status: Future, Expires: S+365, Routine, Clinic Performed
<input type="checkbox"/> Us vein mapping lower extremity	Status: Future, Expires: S+365, Routine, Clinic Performed
<input type="checkbox"/> MRSA PCR	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares, Pre-Admission Testing

<input type="checkbox"/> Us duplex venous lower extremity	Status: Future, Expires: S+365, Routine, Clinic Performed
---	---

[] Respiratory

<input type="checkbox"/> Spirometry pre & post w/ bronchodilator	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Body Plethysmographic lung volumes	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Diffusion capacity	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Spirometry	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?

[] Laboratory: Preoperative Testing Labs - All Facilities

<input type="checkbox"/> COVID-19 qualitative RT-PCR - Nasal Swab	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Nasal Swab Is this for pre-procedure or non-PUI assessment? Yes Pre-Admission Testing
<input type="checkbox"/> CBC with platelet and differential	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Comprehensive metabolic panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Basic metabolic panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Prothrombin time with INR	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Partial thromboplastin time	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Hepatic function panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Platelet function analysis	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Hemoglobin A1c	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Type and screen	
<input type="checkbox"/> Type and screen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> ABO and Rh confirmation	Once, Blood Bank Confirmation
<input type="checkbox"/> hCG qualitative, serum screen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> POC pregnancy, urine	Routine, Point Of Care, Pre-Admission Testing
<input type="checkbox"/> Urinalysis, automated with microscopy	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

[] Laboratory: Additional Labs - HMWB, HMCL, HMTW

<input type="checkbox"/> Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
---	--

<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	HIV 1, 2 antibody	Routine, Status: Future, Expires: S+365, Clinic Collect Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.): Pre-Admission Testing
<input type="checkbox"/>	Syphilis treponema screen with RPR confirmation (reverse algorithm)	Routine, Status: Future, Expires: S+365, Clinic Collect Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA PCR	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares, Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.): Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional Labs - HMSL, HMW	
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Rapid HIV 1 & 2	Routine, Status: Future, Expires: S+365, Clinic Collect Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.): Pre-Admission Testing
<input type="checkbox"/>	Syphilis treponema screen with RPR confirmation (reverse algorithm)	Routine, Status: Future, Expires: S+365, Clinic Collect Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA PCR	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares, Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.): Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional Labs - HMM, HMSJ	

<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	HIV Ag/Ab combination	Routine, Status: Future, Expires: S+365, Clinic Collect Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.): Pre-Admission Testing
<input type="checkbox"/>	Syphilis treponema screen with RPR confirmation (reverse algorithm)	Routine, Status: Future, Expires: S+365, Clinic Collect Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA PCR	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares, Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.): Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional for Bariatric patients	
<input type="checkbox"/>	Lipid panel	Routine, Status: Future, Expires: S+365, Clinic Collect Has the patient been fasting for 8 hours or more? Pre-Admission Testing
<input type="checkbox"/>	hCG qualitative, serum screen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Total iron binding capacity	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4, free	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Hemoglobin A1c	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Parathyroid hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	CBC with platelet and differential	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prothrombin time with INR	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Partial thromboplastin time, activated	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin A level, plasma or serum	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin B12 level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Copper level, serum	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

<input type="checkbox"/> Folate level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Vitamin B1 level, whole blood	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Zinc level, serum	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

Case Request

<input type="checkbox"/> Case request operating room	Scheduling/ADT, Scheduling/ADT
--	--------------------------------

Planned ICU Admission Post-Operatively (Admit to Inpatient Order) (Single Response)

Patients who are having an Inpatient Only Procedure as determined by CMS and patients with prior authorization for Inpatient Care may have an Admit to Inpatient order written pre-operatively.

<input type="checkbox"/> Admit to Inpatient	Admitting Physician: Level of Care: Patient Condition: Bed request comments: Certification: I certify that based on my best clinical judgment and the patient's condition as documented in the HP and progress notes, I expect that the patient will need hospital services for two or more midnights. Pre-op
---	--

Isolation Status

<input type="checkbox"/> Airborne isolation status	
<input type="checkbox"/> Airborne isolation status	Details
<input type="checkbox"/> Mycobacterium tuberculosis by PCR - If you suspect Tuberculosis, please order this test for rapid diagnostics.	Once, Sputum, Pre-op
<input type="checkbox"/> Contact isolation status	Details
<input type="checkbox"/> Droplet isolation status	Details
<input type="checkbox"/> Enteric isolation status	Details

Precautions

<input type="checkbox"/> Aspiration precautions	Pre-op
<input type="checkbox"/> Fall precautions	Increased observation level needed: Pre-op
<input type="checkbox"/> Latex precautions	Pre-op
<input type="checkbox"/> Seizure precautions	Increased observation level needed: Pre-op

Nursing

Vital Signs

<input checked="" type="checkbox"/> Vital signs - T/P/R/BP (per unit protocol)	Routine, Per unit protocol, Pre-op
--	------------------------------------

Activity

<input type="checkbox"/> Strict bed rest	Routine, Until discontinued, Starting S, Pre-op
<input type="checkbox"/> Bed rest with bedside commode	Routine, Until discontinued, Starting S Bathroom Privileges: with bedside commode Pre-op
<input type="checkbox"/> Bed rest with bathroom privileges	Routine, Until discontinued, Starting S Bathroom Privileges: with bathroom privileges Pre-op
<input type="checkbox"/> Up with assistance	Routine, Until discontinued, Starting S Specify: Up with assistance Pre-op

<input type="checkbox"/> Up ad lib	Routine, Until discontinued, Starting S Specify: Up ad lib Pre-op
<input type="checkbox"/> Head of bed 30 degrees	Routine, Until discontinued, Starting S Head of bed: 30 degrees Pre-op
<input type="checkbox"/> Head of bed flat	Routine, Until discontinued, Starting S Head of bed: flat Pre-op

Nursing

<input type="checkbox"/> Insert and Maintain Foley	
<input type="checkbox"/> Insert Foley catheter	Routine, Once Type: Size: Urinometer needed: 1) Remove Foley cath POD 1 or POD 2 and Document reason for not removing Foley. (Must be documented on POD 1 or POD 2), Pre-op
<input type="checkbox"/> Foley Catheter Care	Routine, Until discontinued, Starting S Orders: Maintain 1) Remove Foley cath POD 1 or POD 2 and Document reason for not removing Foley. (Must be documented on POD 1 or POD 2), Pre-op
<input checked="" type="checkbox"/> Confirm NPO Status	Routine, Until discontinued, Starting S, Pre-op
<input checked="" type="checkbox"/> Pulse oximetry check	Routine, Daily Current FIO2 or Room Air: On arrival to Pre-Op (Day Surgery), Pre-op
<input type="checkbox"/> No anticoagulants INcluding UNfractionated heparin	Routine, Until discontinued, Starting S Reason for "No" order: Pre-op
<input type="checkbox"/> No anti-platelet agents INcluding aspirin	Routine, Until discontinued, Starting S Reason for "No" order: Pre-op

Notify

<input type="checkbox"/> Notify Physician if current oral intake status could potentially delay procedure start time	Routine, Until discontinued, Starting S, if current oral intake status could potentially delay procedure start time, Pre-op
--	---

Consent

<input type="checkbox"/> Complete consent form	Routine, Once Procedure: Diagnosis/Condition: Physician: Risks, benefits, and alternatives (as outlined by the Texas Medical Disclosure Panel, as appears on Houston Methodist Medical/Surgical Consent forms) were discussed with patient/surrogate? Pre-op
--	---

Diet

<input type="checkbox"/> NPO	Diet effective now, Starting S NPO: Pre-Operative fasting options: Pre-op
<input type="checkbox"/> NPO-After Midnight	Diet effective midnight, Starting S+1 at 12:01 AM NPO: Pre-Operative fasting options: Pre-op
<input type="checkbox"/> NPO-Except meds	Diet effective now, Starting S NPO: Except meds Pre-Operative fasting options: Pre-op

NPO after midnight except Meds

Diet effective midnight, Starting S+1 at 12:01 AM
NPO: Except meds
Pre-Operative fasting options:
Pre-op

IV Fluids

Insert and Maintain IV

Initiate and maintain IV

- | | |
|--|--|
| <input type="checkbox"/> Insert peripheral IV | Routine, Once, Pre-op |
| <input type="checkbox"/> sodium chloride 0.9 % flush | 10 mL, intravenous, every 12 hours scheduled, Pre-op |
| <input type="checkbox"/> sodium chloride 0.9 % flush | 10 mL, intravenous, PRN, line care, Pre-op |

IV Fluids (Single Response)

- | | |
|--|---------------------------------|
| <input type="checkbox"/> lactated Ringer's infusion | intravenous, continuous, Pre-op |
| <input type="checkbox"/> sodium chloride 0.9 % infusion | intravenous, continuous, Pre-op |
| <input type="checkbox"/> sodium chloride 0.9 % with potassium chloride 20 mEq/L infusion | intravenous, continuous, Pre-op |
| <input type="checkbox"/> dextrose 5 % and sodium chloride 0.45 % with potassium chloride 20 mEq/L infusion | intravenous, continuous, Pre-op |

Medications

Intrathecal Infusion Pumps (Single Response)

Implanted Intrathecal Infusion Pump with Sodium Chloride 0.9 % intrathecal infusion

- | | |
|---|---|
| <input type="checkbox"/> Intrathecal drug infusion pump | Routine, Until discontinued, Starting S
Medication(s) delivered: Injectable saline
Pre-op |
| <input type="checkbox"/> sodium chloride 0.9 % infusion | intrathecal, continuous, Pre-op |

Implanted Intrathecal Infusion Pump with Baclofen 50 mcg/mL intrathecal infusion

- | | |
|--|--|
| <input type="checkbox"/> Intrathecal drug infusion pump | Routine, Until discontinued, Starting S
Medication(s) delivered: Low concentration baclofen
Pre-op |
| <input type="checkbox"/> baclofen (LIORESAL) 50 mcg/mL injection | 50 mcg, intrathecal, continuous, Pre-op |

Implanted Intrathecal Infusion Pump with Baclofen 500 mcg/mL intrathecal infusion

- | | |
|---|---|
| <input type="checkbox"/> Intrathecal drug infusion pump | Routine, Until discontinued, Starting S
Medication(s) delivered: High concentration baclofen
Pre-op |
| <input type="checkbox"/> baclofen (LIORESAL) 500 mcg/mL intrathecal injection | intrathecal, continuous, Pre-op |

Implanted Intrathecal Infusion Pump with morphine infusion

- | | |
|--|--|
| <input type="checkbox"/> Intrathecal drug infusion pump | Routine, Until discontinued, Starting S
Medication(s) delivered: Intrathecal morphine
Pre-op |
| <input type="checkbox"/> morphine (PF) (INFUMORPH) in sodium chloride 0.9% intrathecal injection | intrathecal, continuous, Pre-op
Patient supplied boluses: |

Implanted Intrathecal Infusion Pump with CUSTOM intrathecal infusion

- | | |
|--|---|
| <input type="checkbox"/> Intrathecal drug infusion pump | Routine, Until discontinued, Starting S
Medication(s) delivered: Custom cocktail transferred to new pump
Pre-op |
| <input type="checkbox"/> Custom intrathecal infusion - Specify | intrathecal, continuous, Pre-op
Patient supplied boluses: |

Labs

COVID-19 Qualitative PCR

<input type="checkbox"/> COVID-19 qualitative RT-PCR - Nasal Swab	STAT For 1 Occurrences Specimen Source: Nasal Swab Is this for pre-procedure or non-PUI assessment? Yes Pre-op
---	---

Labs STAT

<input type="checkbox"/> Type and screen	
<input type="checkbox"/> Type and screen	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> ABO and Rh confirmation	Once, Blood Bank Confirmation
<input type="checkbox"/> CBC and differential	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Partial thromboplastin time	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Prothrombin time with INR	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Basic metabolic panel	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Comprehensive metabolic panel	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Platelet function P2Y12	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Platelet function analysis	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Bedside Glucose and Notify (Selection Required)	"And" Linked Panel
<input type="checkbox"/> Bedside glucose	Routine, Once, Pre-op
<input type="checkbox"/> Notify Physician of bedside blood glucose LESS than 70 mg/dL and GREATER than 180 mg/dL	Routine, Until discontinued, Starting S, Pre-op
<input type="checkbox"/> Calcium	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Magnesium	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Phosphorus	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Pregnancy, urine	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Urinalysis screen and microscopy, with reflex to culture	STAT For 1 Occurrences Specimen Source: Urine Specimen Site: Pre-op

Labs - AM

<input type="checkbox"/> Type and screen	
<input type="checkbox"/> Type and screen	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> ABO and Rh confirmation	Once, Blood Bank Confirmation
<input type="checkbox"/> CBC and differential	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Basic metabolic panel	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Comprehensive metabolic panel	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Partial thromboplastin time	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Prothrombin time with INR	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Platelet function P2Y12	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Platelet function analysis	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Calcium	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Magnesium	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Phosphorus	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Pregnancy, urine	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Urinalysis screen and microscopy, with reflex to culture	AM draw For 1 Occurrences Specimen Source: Urine Specimen Site: Pre-op

Cardiology

Cardiology

<input type="checkbox"/> ECG Pre/Post Op	Routine, Once Clinical Indications: Interpreting Physician: Pre-op
<input type="checkbox"/> Echocardiogram complete w contrast and 3D if needed	Routine, 1 time imaging, Starting S at 1:00 AM, Pre-op

Imaging

X-ray

<input type="checkbox"/> Chest 2 Vw	Routine, 1 time imaging, Starting S at 1:00 AM For 1 , Pre-op
<input type="checkbox"/> Chest 1 Vw	Routine, 1 time imaging, Starting S at 1:00 AM For 1 , Pre-op

Other Studies

Other Diagnostic Studies

<input type="checkbox"/> Intraoperative monitoring	Routine, Once Procedure: O.R. Location: Modality: Pre-op
--	--

Consults

Ancillary Consults

<input type="checkbox"/> Consult to Case Management	Consult Reason: Pre-op
<input type="checkbox"/> Consult to Social Work	Reason for Consult: Pre-op
<input type="checkbox"/> Consult PT eval and treat	Reasons for referral to Physical Therapy (mark all applicable): Are there any restrictions for positioning or mobility? Please provide safe ranges for HR, BP, O2 saturation(if values are very abnormal): Weight Bearing Status: Pre-op
<input type="checkbox"/> Consult PT wound care	Special Instructions: Location of Wound? Pre-op
<input type="checkbox"/> Consult OT eval and treat	Reason for referral to Occupational Therapy (mark all that apply): Are there any restrictions for positioning or mobility? Please provide safe ranges for HR, BP, O2 saturation(if values are very abnormal): Weight Bearing Status: Pre-op
<input type="checkbox"/> Consult to Nutrition Services	Reason For Consult? Purpose/Topic: Pre-op
<input type="checkbox"/> Consult to Spiritual Care	Reason for consult? Pre-op
<input type="checkbox"/> Consult to Speech Language Pathology	Routine, Once Reason for consult: Pre-op
<input type="checkbox"/> Consult to Wound Ostomy Care nurse	Reason for consult: Reason for consult: Reason for consult: Reason for consult: Consult for NPWT: Reason for consult: Reason for consult: Pre-op
<input type="checkbox"/> Consult to Respiratory Therapy	Reason for Consult? Pre-op

Lab Draw

<input checked="" type="checkbox"/> Type and screen	
<input checked="" type="checkbox"/> Type and screen	Once, Pre-op
<input checked="" type="checkbox"/> ABO and Rh confirmation	Once, Blood Bank Confirmation

Blood Products

<input type="checkbox"/> Red Blood Cells	
<input type="checkbox"/> Prepare RBC	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse RBC	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
<input type="checkbox"/> Platelets	
<input type="checkbox"/> Prepare platelet pheresis	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse platelet pheresis	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
<input type="checkbox"/> Fresh Frozen Plasma	
<input type="checkbox"/> Prepare fresh frozen plasma	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse fresh frozen plasma	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
<input type="checkbox"/> Cryoprecipitate	
<input type="checkbox"/> Prepare cryoprecipitate	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse cryoprecipitate	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood