

Nursing

Nursing

<input type="checkbox"/>	Doppler for fetal heart tones	STAT, Once For 1 Occurrences
<input type="checkbox"/>	Insert peripheral IV	STAT, Once Leave saline lock in place for ETOH detox patient.
<input type="checkbox"/>	Straight cath	STAT, Once For 1 Occurrences

IV Fluids

IV Fluids

<input type="checkbox"/>	sodium chloride 0.9 % bolus 1000 mL	1,000 mL, intravenous, for 30 Minutes, once, For 1 Doses
<input type="checkbox"/>	sodium chloride 0.9 % bolus 500 mL	500 mL, intravenous, for 15 Minutes, once, For 1 Doses
<input type="checkbox"/>	sodium chloride 0.9 % infusion - 100 mL/hr	100 mL/hr, intravenous, continuous

Labs

Laboratory

<input type="checkbox"/>	CBC with differential	STAT For 1 Occurrences
<input type="checkbox"/>	Basic metabolic panel	STAT For 1 Occurrences
<input type="checkbox"/>	Comprehensive metabolic panel	STAT For 1 Occurrences
<input type="checkbox"/>	Amylase	STAT For 1 Occurrences
<input type="checkbox"/>	Lipase	STAT For 1 Occurrences
<input type="checkbox"/>	Neisseria gonorrhoeae, TMA	STAT For 1 Occurrences Specimen Source: Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	Chlamydia trachomatis, TMA	STAT For 1 Occurrences Specimen Source: Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	Wet prep	Once For 1 Occurrences
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	STAT For 1 Occurrences Specimen Source: Urine Specimen Site:
<input type="checkbox"/>	Urine drugs of abuse screen	STAT For 1 Occurrences

Laboratory

<input type="checkbox"/>	CBC with differential	STAT For 1 Occurrences
<input type="checkbox"/>	Basic metabolic panel	STAT For 1 Occurrences
<input type="checkbox"/>	Comprehensive metabolic panel	STAT For 1 Occurrences
<input type="checkbox"/>	Amylase	STAT For 1 Occurrences
<input type="checkbox"/>	Lipase	STAT For 1 Occurrences
<input type="checkbox"/>	Urine drugs of abuse screen	STAT For 1 Occurrences
<input type="checkbox"/>	Neisseria gonorrhoeae, TMA	STAT For 1 Occurrences Specimen Source: Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	Chlamydia trachomatis, TMA	STAT For 1 Occurrences Specimen Source: Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	Wet prep	Once For 1 Occurrences
<input type="checkbox"/>	Urine Culture and Urinalysis	"And" Linked Panel
<input type="checkbox"/>	Urine culture	Once For 1 Occurrences, Urine
<input type="checkbox"/>	Urinalysis	STAT For 1 Occurrences

Laboratory

<input type="checkbox"/>	CBC with differential	STAT For 1 Occurrences
<input type="checkbox"/>	Basic metabolic panel	STAT For 1 Occurrences
<input type="checkbox"/>	Comprehensive metabolic panel	STAT For 1 Occurrences
<input type="checkbox"/>	Amylase	STAT For 1 Occurrences
<input type="checkbox"/>	Lipase	STAT For 1 Occurrences
<input type="checkbox"/>	Urine drugs of abuse screen	STAT For 1 Occurrences
<input type="checkbox"/>	Neisseria gonorrhoeae, TMA	STAT For 1 Occurrences Specimen Source: Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	Chlamydia trachomatis, TMA	STAT For 1 Occurrences Specimen Source: Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	Wet prep	Once For 1 Occurrences
<input type="checkbox"/>	Urinalysis	STAT For 1 Occurrences
<input type="checkbox"/>	Urine culture	STAT For 1 Occurrences, Urine

Pregnancy

<input type="checkbox"/>	hCG QUALitative, urine	Once Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	hCG qualitative, serum screen	STAT For 1 Occurrences Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	RH type	STAT For 1 Occurrences
<input type="checkbox"/>	Type and screen, obstetrical patient	STAT For 1 Occurrences

Pregnancy Labs

<input type="checkbox"/>	hCG qualitative, urine screen	STAT For 1 Occurrences Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	hCG quantitative, serum	STAT For 1 Occurrences Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/>	RH type	STAT For 1 Occurrences
<input type="checkbox"/>	Type and screen, obstetrical patient	STAT For 1 Occurrences

Imaging

Ultrasound

<input type="checkbox"/>	US Non-OB Pelvis Complete	
<input type="checkbox"/>	US Pelvic Transabdominal	STAT, 1 time imaging, Starting S at 1:00 AM For 1 Occurrences
<input type="checkbox"/>	US Pelvic Transvaginal	STAT, 1 time imaging, Starting S at 1:00 AM For 1 Occurrences
<input type="checkbox"/>	US Early Pregnancy- Complete	
<input type="checkbox"/>	US Pregnancy Single Less Than 14 Weeks	STAT, 1 time imaging, Starting S at 1:00 AM For 1 Occurrences
<input type="checkbox"/>	US Pregnancy Transvaginal	STAT, 1 time imaging, Starting S at 1:00 AM For 1 Occurrences
<input type="checkbox"/>	US Pregnancy Greater Than 14 weeks - Limited	STAT, 1 time imaging, Starting S at 1:00 AM For 1 Occurrences

Diagnostics CT (Single Response)

<input type="checkbox"/>	CT Abdomen and Pelvis with IV and PO Contrast (Omnipaque)	"And" Linked Panel For those with iodine allergies, please order the panel with Read-Cat (barium sulfate).
<input type="checkbox"/>	CT Abdomen Pelvis W Contrast	STAT, 1 time imaging, Starting S at 1:00 AM For 1 Occurrences
<input type="checkbox"/>	iohexol (OMNIPAQUE) 300 mg iodine/mL oral solution	30 mL, oral, once, For 1 Doses
<input type="checkbox"/>	CT Abdomen and Pelvis without IV Contrast (for iodine allergy, oral only - Read-Cat)	"And" Linked Panel

Ordered as secondary option for those with iodine allergies.

<input type="checkbox"/>	CT Abdomen Pelvis Wo Contrast	STAT, 1 time imaging, Starting S at 1:00 AM For 1 Occurrences
<input type="checkbox"/>	barium (READI-CAT 2) 2.1 % (w/v), 2.0 % (w/w) suspension	450 mL, oral, once, For 1 Doses

() CT Abdomen and Pelvis without IV Contrast (oral only - **"And" Linked Panel**
Omnipaque)

For those with iodine allergies, please order the panel with Read-Cat (barium sulfate).

<input type="checkbox"/>	CT Abdomen Pelvis Wo Contrast	STAT, 1 time imaging, Starting S at 1:00 AM For 1 Occurrences
<input type="checkbox"/>	iohexol (OMNIPAQUE) 300 mg iodine/mL oral solution	30 mL, oral, once, For 1 Doses