

Digoxin (LANOXIN) [5295]

Adjust doses based on therapeutic response and digoxin level monitoring.

For elderly patients (GREATER THAN 65 years), maximum maintenance dose of 125 mcg daily is recommended.

For patients on amiodarone therapy, maintenance dose should be reduced by 50%.

Medications

Digoxin (LANOXIN) (Single Response) (Selection Required)

() Maintenance

HM IP DIGOXIN MAINTENANCE ONLY (Single Response)

digOXIN (LANOXIN) tablet
oral, daily
Indication: Arrhythmia
HR HOLD parameters for this order: HR Hold Parameters requested
HR HOLD for: Heart Rate LESS than 60 bpm

digOXIN (LANOXIN) oral solution
oral, daily
Indication: Arrhythmia
HR HOLD parameters for this order: HR Hold Parameters requested
HR HOLD for: Heart Rate LESS than 60 bpm

digOXIN (LANOXIN) injection
intravenous, daily
Indication: Arrhythmia
HR HOLD parameters for this order: HR Hold Parameters requested
HR HOLD for: Heart Rate LESS than 60 bpm

Digoxin level AM draw For 1 Occurrences

() Load & Maintenance

Digoxin Load & Maintenance IBW GREATER THAN OR EQUAL to 60 kg (Single Response)

() CrCl GREATER THAN or EQUAL 90

Digoxin Load and Maintenance **"Followed by" Linked Panel**

digOXIN (LANOXIN) injection
500 mcg, intravenous, once, For 1 Doses
Indication: Arrhythmia

digOXIN (LANOXIN) injection
250 mcg, intravenous, once, Starting H+6 Hours, For 1 Doses
Indication: Arrhythmia

digOXIN (LANOXIN) injection
250 mcg, intravenous, once, Starting H+12 Hours, For 1 Doses
Indication: Arrhythmia

digOXIN (LANOXIN) tablet
250 mcg, oral, daily, Starting S+1
Indication: Arrhythmia
HR HOLD parameters for this order: HR Hold Parameters requested
HR HOLD for: Heart Rate LESS than 60 bpm
Contact Physician if:

Digoxin level Once, Starting H+18 Hours For 1 Occurrences

() CrCl 50-89

Digoxin Load and Maintenance **"Followed by" Linked Panel**

digOXIN (LANOXIN) injection
500 mcg, intravenous, once, For 1 Doses
Indication: Arrhythmia

digOXIN (LANOXIN) injection
250 mcg, intravenous, once, Starting H+6 Hours, For 1 Doses
Indication: Arrhythmia

digOXIN (LANOXIN) injection
250 mcg, intravenous, once, Starting H+12 Hours, For 1 Doses
Indication: Arrhythmia

digOXIN (LANOXIN) tablet
125 mcg, oral, daily, Starting S+1
Indication: Arrhythmia
HR HOLD parameters for this order: HR Hold Parameters requested
HR HOLD for: Heart Rate LESS than 60 bpm
Contact Physician if:

Digoxin level Once, Starting H+18 Hours For 1 Occurrences

() CrCl 15-49

Digoxin Load and Maintenance **"Followed by" Linked Panel**

digOXIN (LANOXIN) injection
250 mcg, intravenous, once, For 1 Doses
Indication: Arrhythmia

<input type="checkbox"/>	digOXIN (LANOXIN) injection	250 mcg, intravenous, once, Starting H+6 Hours, For 1 Doses Indication: Arrhythmia
<input type="checkbox"/>	digOXIN (LANOXIN) injection	250 mcg, intravenous, once, Starting H+12 Hours, For 1 Doses Indication: Arrhythmia
<input type="checkbox"/>	digOXIN (LANOXIN) tablet	125 mcg, oral, daily, Starting S+1 Indication: Arrhythmia HR HOLD parameters for this order: HR Hold Parameters requested HR HOLD for: Heart Rate LESS than 60 bpm Contact Physician if:
<input type="checkbox"/>	Digoxin level	Once, Starting H+18 Hours For 1 Occurrences
() CrCl LESS THAN 15		
<input type="checkbox"/>	Digoxin Load and Maintenance	"Followed by" Linked Panel
<input type="checkbox"/>	digOXIN (LANOXIN) injection	250 mcg, intravenous, once, For 1 Doses Indication: Arrhythmia
<input type="checkbox"/>	digOXIN (LANOXIN) injection	250 mcg, intravenous, once, Starting H+6 Hours, For 1 Doses Indication: Arrhythmia
<input type="checkbox"/>	digOXIN (LANOXIN) tablet	62.5 mcg, oral, daily, Starting S+1 Indication: Arrhythmia HR HOLD parameters for this order: HR Hold Parameters requested HR HOLD for: Heart Rate LESS than 60 bpm Contact Physician if:
<input type="checkbox"/>	Digoxin level	Once, Starting H+12 Hours For 1 Occurrences
<input type="checkbox"/>	Digoxin Load & Maintenance IBW LESS THAN 60 KG (Single Response)	
() CrCl GREATER THAN or EQUAL 50		
<input type="checkbox"/>	Digoxin Load and Maintenance	"Followed by" Linked Panel
<input type="checkbox"/>	digOXIN (LANOXIN) injection	500 mcg, intravenous, once, For 1 Doses Indication: Arrhythmia
<input type="checkbox"/>	digOXIN (LANOXIN) injection	250 mcg, intravenous, once, Starting H+6 Hours, For 1 Doses Indication: Arrhythmia
<input type="checkbox"/>	digOXIN (LANOXIN) tablet	125 mcg, oral, daily, Starting S+1 Indication: Arrhythmia HR HOLD parameters for this order: HR Hold Parameters requested HR HOLD for: Heart Rate LESS than 60 bpm Contact Physician if:
<input type="checkbox"/>	Digoxin level	Once, Starting H+12 Hours For 1 Occurrences
() CrCl 15-49		
<input type="checkbox"/>	Digoxin IV followed by PO	"Followed by" Linked Panel
<input type="checkbox"/>	digOXIN (LANOXIN) injection	250 mcg, intravenous, once, For 1 Doses Indication: Arrhythmia
<input type="checkbox"/>	digOXIN (LANOXIN) injection	250 mcg, intravenous, once, Starting H+6 Hours, For 1 Doses Indication: Arrhythmia
<input type="checkbox"/>	digOXIN (LANOXIN) tablet	62.5 mcg, oral, daily, Starting S+1 Indication: Arrhythmia HR HOLD parameters for this order: HR Hold Parameters requested HR HOLD for: Heart Rate LESS than 60 bpm Contact Physician if:
<input type="checkbox"/>	Digoxin level	Once, Starting H+12 Hours For 1 Occurrences
() CrCl LESS THAN 15		
<input type="checkbox"/>	Digoxin Load and Maintenance	"Followed by" Linked Panel
<input type="checkbox"/>	digOXIN (LANOXIN) injection	250 mcg, intravenous, once, For 1 Doses Indication: Arrhythmia
<input type="checkbox"/>	digOXIN (LANOXIN) tablet	62.5 mcg, oral, daily, Starting S+1 Indication: Arrhythmia HR HOLD parameters for this order: HR Hold Parameters requested HR HOLD for: Heart Rate LESS than 60 bpm Contact Physician if:
<input type="checkbox"/>	Digoxin level	Once, Starting H+6 Hours For 1 Occurrences

() One Time Dose Only (Single Response)

- | | |
|--|---|
| <input type="checkbox"/> digOXIN (LANOXIN) tablet | oral, once, For 1 Doses
Indication: Arrhythmia
HR HOLD parameters for this order: HR Hold Parameters requested
HR HOLD for: Heart Rate LESS than 60 bpm |
| <input type="checkbox"/> digOXIN (LANOXIN) oral solution | oral, once, For 1 Doses
Indication: Arrhythmia
HR HOLD parameters for this order: HR Hold Parameters requested
HR HOLD for: Heart Rate LESS than 60 bpm |
| <input type="checkbox"/> digOXIN (LANOXIN) injection | intravenous, once, For 1 Doses
Indication: Arrhythmia
HR HOLD parameters for this order: HR Hold Parameters requested
HR HOLD for: Heart Rate LESS than 60 bpm |

Magnesium Baseline Level

<input checked="" type="checkbox"/> Magnesium level	AM draw For 1 Occurrences
---	---------------------------

Digoxin Follow-up Level

<input type="checkbox"/> Digoxin level	AM draw, Starting S+5 at 4:00 AM For 1 Occurrences
--	--