

## Medications

### Antibiotics

#### [ ] Gonorrhea (Single Response)

( ) cefTRIAxone (ROCEPHIN) 500 mg intraMUSCULAR - For Patients LESS THAN or EQUAL to 150 kg (Single Response)

( ) cefTRIAxone (ROCEPHIN) 500 mg, intramuscular, once, For 1 Doses  
intraMUSCULAR Indication:

( ) cefTRIAxone (ROCEPHIN) 1 g intraMUSCULAR - For patients GREATER than 150 kg

[ ] cefTRIAxone (ROCEPHIN) 1 g 1 g, intramuscular, once, For 1 Doses  
intraMUSCULAR - For Patients GREATER than 150 kg Indication:

( ) If Cephalosporin Allergy: gentamicin (GARAMYCIN) 240 mg intraMUSCULAR + azithromycin (ZITHROMAX) 2 g PO **"And" Linked Panel**

[ ] gentamicin (GARAMYCIN) injection 240 mg, intramuscular, once, For 1 Doses

[ ] azithromycin (ZITHROMAX) tablet 2,000 mg, oral, once, For 1 Doses  
Indication:

#### [ ] Chlamydia (Single Response)

( ) azithromycin (ZITHROMAX) tablet 1,000 mg, oral, once, For 1 Doses  
Indication:

( ) doxycycline (VIBRAMYCIN) oral dosage form 100 mg, oral, once, For 1 Doses  
Doxycycline (Vibramycin) oral dosage form - \*Contraindicated in Pregnancy, \*Requires 7 days of Treatment - ensure patient will adhere to regimen, alternate agent - azithromycin  
Indication:

( ) If pregnant, potential concerns with compliance, or doxycycline allergy: azithromycin (ZITHROMAX) tablet 1,000 mg, oral, once, For 1 Doses  
Indication:

#### [ ] Trichomoniasis

[ ] metroNIDAZOLE (FLAGYL) tablet 2,000 mg, oral, once, For 1 Doses  
Indication:

### PRN Medications

[ ] ondansetron ODT (ZOFTRAN-ODT) disintegrating tablet 8 mg, oral, once, For 1 Doses

[ ] fluconazole (DIFLUCAN) tablet 150 mg, oral, once, For 1 Doses  
Per Med Staff Policy, R.Ph. will automatically renally dose this medication based on current SCr and CrCl values.  
Indication:

[ ] acetaminophen (TYLENOL) tablet 15 mg/kg, oral, once, For 1 Doses

[ ] ibuprofen (ADVIL, MOTRIN) tablet 400 mg, oral, once, For 1 Doses

[ ] ibuprofen (MOTRIN) 100 mg/5 mL suspension 10 mg/kg, oral, once, For 1 Doses

[ ] Tdap (BOOSTRIX / ADACEL) injection 0.5 mL, intramuscular, once, For 1 Doses

## Pregnancy Prevention Treatment

### Prior to Medication Labs

[ ] POC pregnancy, urine Once For 1 Occurrences  
Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):

[ ] hCG qualitative, urine screen Once For 1 Occurrences  
Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):

[ ] hCG qualitative, serum screen Once For 1 Occurrences  
Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):

<input type="checkbox"/> ulipristal (ELLA) tablet	30 mg, oral, once, For 1 Doses **Must Have Negative Pregnancy Test confirmed prior to administration
---	---

## HIV Prophylaxis Treatment

### HIV Labs

<input type="checkbox"/> HIV 1/2 antigen/antibody, fourth generation, with reflexes	Once For 1 Occurrences Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/> Comprehensive metabolic panel	Once For 1 Occurrences

### HIV Prophylaxis Medications (Single Response)

( ) emtricitabine-tenofovir DF (TRUVADA) + dolutegravir (TIVICAY)	<b>"And" Linked Panel</b>
<input type="checkbox"/> emtricitabine-tenofovir DF (TRUVADA) 200-300 mg per tablet	1 tablet, oral, daily Indication: Medical Prophylaxis
<input type="checkbox"/> dolutegravir (TIVICAY) tablet	50 mg, oral, daily Indication: Medical Prophylaxis

## Hepatitis Prophylaxis Treatment

### Hepatitis Labs

<input type="checkbox"/> Hepatitis B surface antibody	Once For 1 Occurrences
<input type="checkbox"/> Hepatitis C antibody	Once For 1 Occurrences

### Hepatitis Prophylaxis Medications

<input type="checkbox"/> hepatitis B (ENGERIX-B) 20 mcg/mL vaccine	20 mcg, intramuscular, once, For 1 Doses * If over 20 years old give 20 mcg
<input type="checkbox"/> hepatitis B (RECOMBIVAX HB) 5 mcg/0.5 mL vaccine	5 mcg, intramuscular, once, For 1 Doses * If under 20 years old give 5 mcg/0.5mL

## STD Testing

### STD Labs

<input type="checkbox"/> Neisseria gonorrhoeae, NAA	STAT For 1 Occurrences Specimen Source: Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/> Chlamydia trachomatis, NAA	STAT For 1 Occurrences Specimen Source: Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/> Wet prep	Once For 1 Occurrences
<input type="checkbox"/> Syphilis treponema screen with RPR confirmation (reverse algorithm)	STAT For 1 Occurrences Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/> Urine Culture and Urinalysis	<b>"And" Linked Panel</b>
<input type="checkbox"/> Urine culture	Once For 1 Occurrences, Urine
<input type="checkbox"/> Urinalysis	STAT For 1 Occurrences
<input type="checkbox"/> Urine drugs of abuse screen	Once For 1 Occurrences

### STD Labs

<input type="checkbox"/> Chlamydia trachomatis, NAA	STAT For 1 Occurrences Specimen Source: Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
---	---

<input type="checkbox"/> Neisseria gonorrhoeae, NAA	STAT For 1 Occurrences Specimen Source: Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/> Wet prep	Once For 1 Occurrences
<input type="checkbox"/> Syphilis treponema screen with RPR confirmation (reverse algorithm)	STAT For 1 Occurrences Release to patient (Note: If manual release option is selected, result will auto release 10 days from finalization.):
<input type="checkbox"/> Urinalysis screen and microscopy, with reflex to culture	Once For 1 Occurrences Specimen Source: Urine Specimen Site:
<input type="checkbox"/> Urine drugs of abuse screen	Once For 1 Occurrences

## Imaging

### Imaging

<input type="checkbox"/> CT Head Wo Contrast	STAT, 1 time imaging, Starting S at 1:00 AM For 1 Occurrences
<input type="checkbox"/> CT Maxillofacial Wo Contrast	STAT, 1 time imaging, Starting S at 1:00 AM For 1 Occurrences
<input type="checkbox"/> CTA Neck W Wo Contrast	STAT, 1 time imaging, Starting S at 1:00 AM For 1 Occurrences