

Sotalol IV (BETAPACE) Initiation Protocol (RESTRICTED) [5313]

IV sotalol is restricted to Electrophysiology and Cardiology only and the planned discharge must be within 24 hours.

Medications

Medications to consider prior to initiation of IV Sotalol

Do not initiate if baseline QTc>500 msec and/or K level <4 mEq/L

<input type="checkbox"/> magnesium level less than 2 mEq/L	2 g, intravenous, once, For 1 Doses
<input type="checkbox"/> potassium level 3.5 mEq/L to 4 mEq/L	20 mEq, oral, once, For 1 Doses
<input type="checkbox"/> potassium level less than 3.5 mEq/L	40 mEq, oral, once, For 1 Doses Recheck potassium after 1 hour

Choose dose based on creatinine clearance and target oral dose (Single Response)

() CrCl > 90 mL/min (Single Response)

() Target oral dose 40 mg two times daily

"And" Linked Panel

Orders for sotalol (BETAPACE) require a Pharmacy Consult. Do not remove the attached consult order.

<input type="checkbox"/> sotalol in sodium chloride 0.9% 100 mL IVPB (RESTRICTED)	60 mg, intravenous, Administer over: 60 Minutes, once, For 1 Doses Administer over 1 hour infusion. Contact provider if QTc > 500 msec. RESTRICTED to Cardiology and Electrophysiology specialists. Are you a Cardiology or Electrophysiology specialist or ordering on behalf of one? This medication is restricted to patients who have a planned discharge within 24hr and are not classified as inpatient status. Do you attest that this restriction has been met? This medication is restricted to cath lab area or ED at entities prepared to operationalize patient flow and med safety as determined by the entity cath lab director, ED leadership, and pharmacy director. Do you attest that this restriction has been met?
<input type="checkbox"/> sotalol (BETAPACE) tablet (RESTRICTED)	40 mg, oral, every 12 hours, Starting H+5 Hours, For 2 Doses Give 1st dose 4 hours after end of sotalol infusion. Initiation of therapy is RESTRICTED to Cardiology specialists. Continuation of home therapy is not restricted to Cardiology specialist. Please attest that these restrictions are met: BP & HR HOLD parameters for this order: Contact Physician if:
<input type="checkbox"/> Pharmacy consult to monitor sotalol (BETAPACE) therapy	STAT, Until discontinued, Starting S

() Target oral dose 80 mg two times daily

"And" Linked Panel

Orders for sotalol (BETAPACE) require a Pharmacy Consult. Do not remove the attached consult order.

<input type="checkbox"/> sotalol in sodium chloride 0.9% 100 mL IVPB (RESTRICTED)	60 mg, intravenous, Administer over: 60 Minutes, once, For 1 Doses Administer over 1 hour infusion. Contact provider if QTc > 500 msec. RESTRICTED to Cardiology and Electrophysiology specialists. Are you a Cardiology or Electrophysiology specialist or ordering on behalf of one? This medication is restricted to patients who have a planned discharge within 24hr and are not classified as inpatient status. Do you attest that this restriction has been met? This medication is restricted to cath lab area or ED at entities prepared to operationalize patient flow and med safety as determined by the entity cath lab director, ED leadership, and pharmacy director. Do you attest that this restriction has been met?
<input type="checkbox"/> sotalol (BETAPACE) tablet (RESTRICTED)	80 mg, oral, every 12 hours, Starting H+5 Hours, For 2 Doses Give 1st dose 4 hours after end of sotalol infusion. Initiation of therapy is RESTRICTED to Cardiology specialists. Continuation of home therapy is not restricted to Cardiology specialist. Please attest that these restrictions are met: BP & HR HOLD parameters for this order: Contact Physician if:

[] Pharmacy consult to monitor sotalol (BETAPACE) therapy	STAT, Until discontinued, Starting S
() Target oral dose 120 mg two times daily	"And" Linked Panel
Orders for sotalol (BETAPACE) require a Pharmacy Consult. Do not remove the attached consult order.	
[] sotalol in sodium chloride 0.9% 100 mL IVPB (RESTRICTED)	<p>90 mg, intravenous, Administer over: 60 Minutes, once, For 1 Doses Administer over 1 hour infusion. Contact provider if QTc > 500 msec. RESTRICTED to Cardiology and Electrophysiology specialists. Are you a Cardiology or Electrophysiology specialist or ordering on behalf of one?</p> <p>This medication is restricted to patients who have a planned discharge within 24hr and are not classified as inpatient status. Do you attest that this restriction has been met?</p> <p>This medication is restricted to cath lab area or ED at entities prepared to operationalize patient flow and med safety as determined by the entity cath lab director, ED leadership, and pharmacy director. Do you attest that this restriction has been met?</p>
[] sotalol (BETAPACE) tablet (RESTRICTED)	<p>120 mg, oral, every 12 hours, Starting H+5 Hours, For 2 Doses Give 1st dose 4 hours after end of sotalol infusion. Initiation of therapy is RESTRICTED to Cardiology specialists. Continuation of home therapy is not restricted to Cardiology specialist. Please attest that these restrictions are met: BP & HR HOLD parameters for this order: Contact Physician if:</p>
[] Pharmacy consult to monitor sotalol (BETAPACE) therapy	STAT, Until discontinued, Starting S
() CrCl 60 – 90 mL/min (Single Response)	
() Target oral dose 40 mg two times daily	"And" Linked Panel
Orders for sotalol (BETAPACE) require a Pharmacy Consult. Do not remove the attached consult order.	
[] sotalol in sodium chloride 0.9% 100 mL IVPB (RESTRICTED)	<p>82.5 mg, intravenous, Administer over: 60 Minutes, once, For 1 Doses Administer over 1 hour infusion. Contact provider if QTc > 500 msec. RESTRICTED to Cardiology and Electrophysiology specialists. Are you a Cardiology or Electrophysiology specialist or ordering on behalf of one?</p> <p>This medication is restricted to patients who have a planned discharge within 24hr and are not classified as inpatient status. Do you attest that this restriction has been met?</p> <p>This medication is restricted to cath lab area or ED at entities prepared to operationalize patient flow and med safety as determined by the entity cath lab director, ED leadership, and pharmacy director. Do you attest that this restriction has been met?</p>
[] sotalol (BETAPACE) tablet (RESTRICTED)	<p>40 mg, oral, every 12 hours, Starting H+5 Hours, For 2 Doses Give 1st dose 4 hours after end of sotalol infusion. Initiation of therapy is RESTRICTED to Cardiology specialists. Continuation of home therapy is not restricted to Cardiology specialist. Please attest that these restrictions are met: BP & HR HOLD parameters for this order: Contact Physician if:</p>
[] Pharmacy consult to monitor sotalol (BETAPACE) therapy	STAT, Until discontinued, Starting S
() Target oral dose 80 mg two times daily	"And" Linked Panel
Orders for sotalol (BETAPACE) require a Pharmacy Consult. Do not remove the attached consult order.	

<input type="checkbox"/> sotalol in sodium chloride 0.9% 100 mL IVPB (RESTRICTED)	82.5 mg, intravenous, Administer over: 60 Minutes, once, For 1 Doses Administer over 1 hour infusion. Contact provider if QTc > 500 msec. RESTRICTED to Cardiology and Electrophysiology specialists. Are you a Cardiology or Electrophysiology specialist or ordering on behalf of one? This medication is restricted to patients who have a planned discharge within 24hr and are not classified as inpatient status. Do you attest that this restriction has been met? This medication is restricted to cath lab area or ED at entities prepared to operationalize patient flow and med safety as determined by the entity cath lab director, ED leadership, and pharmacy director. Do you attest that this restriction has been met?
<input type="checkbox"/> sotalol (BETAPACE) tablet (RESTRICTED)	80 mg, oral, every 12 hours, Starting H+5 Hours, For 2 Doses Give 1st dose 4 hours after end of sotalol infusion. Initiation of therapy is RESTRICTED to Cardiology specialists. Continuation of home therapy is not restricted to Cardiology specialist. Please attest that these restrictions are met: BP & HR HOLD parameters for this order: Contact Physician if:
<input type="checkbox"/> Pharmacy consult to monitor sotalol (BETAPACE) therapy	STAT, Until discontinued, Starting S
<input type="checkbox"/> Target oral dose 120 mg two times daily "And" Linked Panel Orders for sotalol (BETAPACE) require a Pharmacy Consult. Do not remove the attached consult order.	
<input type="checkbox"/> sotalol in sodium chloride 0.9% 100 mL IVPB (RESTRICTED)	125 mg, intravenous, Administer over: 60 Minutes, once, For 1 Doses Administer over 1 hour infusion. Contact provider if QTc > 500 msec. RESTRICTED to Cardiology and Electrophysiology specialists. Are you a Cardiology or Electrophysiology specialist or ordering on behalf of one? This medication is restricted to patients who have a planned discharge within 24hr and are not classified as inpatient status. Do you attest that this restriction has been met? This medication is restricted to cath lab area or ED at entities prepared to operationalize patient flow and med safety as determined by the entity cath lab director, ED leadership, and pharmacy director. Do you attest that this restriction has been met?
<input type="checkbox"/> sotalol (BETAPACE) tablet (RESTRICTED)	120 mg, oral, every 12 hours, Starting H+5 Hours, For 2 Doses Give 1st dose 4 hours after end of sotalol infusion. Initiation of therapy is RESTRICTED to Cardiology specialists. Continuation of home therapy is not restricted to Cardiology specialist. Please attest that these restrictions are met: BP & HR HOLD parameters for this order: Contact Physician if:
<input type="checkbox"/> Pharmacy consult to monitor sotalol (BETAPACE) therapy	STAT, Until discontinued, Starting S
<input type="checkbox"/> CrCl 30 – 60 mL/min (Single Response)	
<input type="checkbox"/> Target oral dose 40 mg two times daily "And" Linked Panel Orders for sotalol (BETAPACE) require a Pharmacy Consult. Do not remove the attached consult order.	
<input type="checkbox"/> sotalol in sodium chloride 0.9% 100 mL IVPB (RESTRICTED)	75 mg, intravenous, Administer over: 60 Minutes, once, For 1 Doses Administer over 1 hour infusion. Contact provider if QTc > 500 msec. RESTRICTED to Cardiology and Electrophysiology specialists. Are you a Cardiology or Electrophysiology specialist or ordering on behalf of one? This medication is restricted to patients who have a planned discharge within 24hr and are not classified as inpatient status. Do you attest that this restriction has been met? This medication is restricted to cath lab area or ED at entities prepared to operationalize patient flow and med safety as determined by the entity cath lab director, ED leadership, and pharmacy director. Do you attest that this restriction has been met?

[] sotalolL (BETAPACE) tablet (RESTRICTED)	40 mg, oral, every 12 hours, Starting H+5 Hours, For 2 Doses Give 1st dose 4 hours after end of sotalol infusion. Initiation of therapy is RESTRICTED to Cardiology specialists. Continuation of home therapy is not restricted to Cardiology specialist. Please attest that these restrictions are met: BP & HR HOLD parameters for this order: Contact Physician if:
[] Pharmacy consult to monitor sotalol (BETAPACE) therapy	STAT, Until discontinued, Starting S
() Target oral dose 80 mg two times daily	"And" Linked Panel
Orders for sotalol (BETAPACE) require a Pharmacy Consult. Do not remove the attached consult order.	
[] sotalolL in sodium chloride 0.9% 100 mL IVPB (RESTRICTED)	75 mg, intravenous, Administer over: 60 Minutes, once, For 1 Doses Administer over 1 hour infusion. Contact provider if QTc > 500 msec. RESTRICTED to Cardiology and Electrophysiology specialists. Are you a Cardiology or Electrophysiology specialist or ordering on behalf of one? This medication is restricted to patients who have a planned discharge within 24hr and are not classified as inpatient status. Do you attest that this restriction has been met? This medication is restricted to cath lab area or ED at entities prepared to operationalize patient flow and med safety as determined by the entity cath lab director, ED leadership, and pharmacy director. Do you attest that this restriction has been met?
[] sotalolL (BETAPACE) tablet (RESTRICTED)	80 mg, oral, every 12 hours, Starting H+5 Hours, For 2 Doses Give 1st dose 4 hours after end of sotalol infusion. Initiation of therapy is RESTRICTED to Cardiology specialists. Continuation of home therapy is not restricted to Cardiology specialist. Please attest that these restrictions are met: BP & HR HOLD parameters for this order: Contact Physician if:
[] Pharmacy consult to monitor sotalol (BETAPACE) therapy	STAT, Until discontinued, Starting S
() Target oral dose 120 mg two times daily	"And" Linked Panel
Orders for sotalol (BETAPACE) require a Pharmacy Consult. Do not remove the attached consult order.	
[] sotalolL in sodium chloride 0.9% 100 mL IVPB (RESTRICTED)	112.5 mg, intravenous, Administer over: 60 Minutes, once, For 1 Doses Administer over 1 hour infusion. Contact provider if QTc > 500 msec. RESTRICTED to Cardiology and Electrophysiology specialists. Are you a Cardiology or Electrophysiology specialist or ordering on behalf of one? This medication is restricted to patients who have a planned discharge within 24hr and are not classified as inpatient status. Do you attest that this restriction has been met? This medication is restricted to cath lab area or ED at entities prepared to operationalize patient flow and med safety as determined by the entity cath lab director, ED leadership, and pharmacy director. Do you attest that this restriction has been met?
[] sotalolL (BETAPACE) tablet (RESTRICTED)	120 mg, oral, every 12 hours, Starting H+5 Hours, For 2 Doses Give 1st dose 4 hours after end of sotalol infusion. Initiation of therapy is RESTRICTED to Cardiology specialists. Continuation of home therapy is not restricted to Cardiology specialist. Please attest that these restrictions are met: BP & HR HOLD parameters for this order: Contact Physician if:
[] Pharmacy consult to monitor sotalol (BETAPACE) therapy	STAT, Until discontinued, Starting S
() CrCl 10 – 30 mL/min (Single Response)	"And" Linked Panel
() Target oral dose 40 mg two times daily	"And" Linked Panel
Orders for sotalol (BETAPACE) require a Pharmacy Consult. Do not remove the attached consult order.	

[] sotalol in sodium chloride 0.9% 100 mL IVPB (RESTRICTED)	<p>75 mg, intravenous, Administer over: 60 Minutes, once, For 1 Doses Administer over 1 hour infusion. Contact provider if QTc > 500 msec. RESTRICTED to Cardiology and Electrophysiology specialists. Are you a Cardiology or Electrophysiology specialist or ordering on behalf of one?</p> <p>This medication is restricted to patients who have a planned discharge within 24hr and are not classified as inpatient status. Do you attest that this restriction has been met?</p> <p>This medication is restricted to cath lab area or ED at entities prepared to operationalize patient flow and med safety as determined by the entity cath lab director, ED leadership, and pharmacy director. Do you attest that this restriction has been met?</p>
[] sotalol (BETAPACE) tablet (RESTRICTED)	<p>40 mg, oral, every 12 hours, Starting H+5 Hours, For 2 Doses Give 1st dose 4 hours after end of sotalol infusion. Initiation of therapy is RESTRICTED to Cardiology specialists. Continuation of home therapy is not restricted to Cardiology specialist. Please attest that these restrictions are met: BP & HR HOLD parameters for this order: Contact Physician if:</p>
[] Pharmacy consult to monitor sotalol (BETAPACE) therapy	STAT, Until discontinued, Starting S
() Target oral dose 80 mg two times daily	"And" Linked Panel
Orders for sotalol (BETAPACE) require a Pharmacy Consult. Do not remove the attached consult order.	
[] sotalol in sodium chloride 0.9% 100 mL IVPB (RESTRICTED)	<p>75 mg, intravenous, Administer over: 60 Minutes, once, For 1 Doses Administer over 1 hour infusion. Contact provider if QTc > 500 msec. RESTRICTED to Cardiology and Electrophysiology specialists. Are you a Cardiology or Electrophysiology specialist or ordering on behalf of one?</p> <p>This medication is restricted to patients who have a planned discharge within 24hr and are not classified as inpatient status. Do you attest that this restriction has been met?</p> <p>This medication is restricted to cath lab area or ED at entities prepared to operationalize patient flow and med safety as determined by the entity cath lab director, ED leadership, and pharmacy director. Do you attest that this restriction has been met?</p>
[] sotalol (BETAPACE) tablet (RESTRICTED)	<p>80 mg, oral, every 12 hours, Starting H+5 Hours, For 2 Doses Give 1st dose 4 hours after end of sotalol infusion. Initiation of therapy is RESTRICTED to Cardiology specialists. Continuation of home therapy is not restricted to Cardiology specialist. Please attest that these restrictions are met: BP & HR HOLD parameters for this order: Contact Physician if:</p>
[] Pharmacy consult to monitor sotalol (BETAPACE) therapy	STAT, Until discontinued, Starting S
() Target oral dose 120 mg two times daily	"And" Linked Panel
Orders for sotalol (BETAPACE) require a Pharmacy Consult. Do not remove the attached consult order.	
[] sotalol in sodium chloride 0.9% 100 mL IVPB (RESTRICTED)	<p>112.5 mg, intravenous, Administer over: 60 Minutes, once, For 1 Doses Administer over 1 hour infusion. Contact provider if QTc > 500 msec. RESTRICTED to Cardiology and Electrophysiology specialists. Are you a Cardiology or Electrophysiology specialist or ordering on behalf of one?</p> <p>This medication is restricted to patients who have a planned discharge within 24hr and are not classified as inpatient status. Do you attest that this restriction has been met?</p> <p>This medication is restricted to cath lab area or ED at entities prepared to operationalize patient flow and med safety as determined by the entity cath lab director, ED leadership, and pharmacy director. Do you attest that this restriction has been met?</p>

<input type="checkbox"/> sotalol (BETAPACE) tablet (RESTRICTED)	120 mg, oral, every 12 hours, Starting H+5 Hours, For 2 Doses Give 1st dose 4 hours after end of sotalol infusion. Initiation of therapy is RESTRICTED to Cardiology specialists. Continuation of home therapy is not restricted to Cardiology specialist. Please attest that these restrictions are met: BP & HR HOLD parameters for this order: Contact Physician if:
<input type="checkbox"/> Pharmacy consult to monitor sotalol (BETAPACE) therapy	STAT, Until discontinued, Starting S

Nursing

Nursing Interventions

<input checked="" type="checkbox"/> IV Sotalol Protocol:	Routine, Until discontinued, Starting S Obtain EKG every 15 minutes during 1-hour infusion STOP infusion if QTC > 500 msec and K < 4 mEq/L and contact physician
<input checked="" type="checkbox"/> Sotalol oral dose after IV Sotalol Infusion:	Routine, Until discontinued, Starting S Obtain EKG 2 hours after each oral dose (total of 2 doses)

Vital Signs

<input checked="" type="checkbox"/> Telemetry	"And" Linked Panel
<input checked="" type="checkbox"/> Telemetry monitoring	Routine, Continuous For 3 Days Order: Place in Centralized Telemetry Monitor: EKG Monitoring Only (Telemetry Box) Reason for telemetry: Can be off of Telemetry for tests and baths? Yes
<input checked="" type="checkbox"/> Telemetry Additional Setup Information	Routine, Continuous High Heart Rate (BPM): 120 Low Heart Rate(BPM): 50 High PVC's (per minute): 10 High SBP(mmHg): 175 Low SBP(mmHg): 100 High DBP(mmHg): 95 Low DBP(mmHg): 40 Low Mean BP: 60 High Mean BP: 120 Low SPO2(%): 94

Labs

Baseline labs

<input checked="" type="checkbox"/> Basic metabolic panel	STAT For 1 Occurrences
<input checked="" type="checkbox"/> Basic metabolic panel	AM draw repeats, Starting S+1 For 2 Occurrences
<input checked="" type="checkbox"/> Magnesium	STAT For 1 Occurrences Obtain baseline if not obtained within 24 hours prior
<input checked="" type="checkbox"/> Magnesium	AM draw repeats, Starting S+1 For 2 Occurrences

Cardiology

EKG

<input checked="" type="checkbox"/> ECG 12 lead	Routine, Once, Starting S For 1 Occurrences Clinical Indications: Cardiac Arrhythmia Interpreting Physician: Obtain baseline ECG
<input checked="" type="checkbox"/> ECG 12 lead	Routine, Conditional Frequency, Starting S For 2 Occurrences Clinical Indications: Cardiac Arrhythmia Interpreting Physician: Obtain ECG 2 hours after each oral dose (total of 2 doses)

